



Item Description	Quantity
3/4" EMT 1-Hole Strap	143
Locknut, 1/2"	66
Locknut, 3/4"	80
Locknut, 1-1/4"	8
Locknut, 2-1/2"	4
Locknut, 3"	6
Locknut, 4"	16
Snap Bushings 3" SB-3-0-39 Black	199
Liquid-Tight Strain Relief, 1/2"	32
Liquid-Tight Strain Relief, 3/4"	3
3/4" Two Screw Connectors BX	76
1" Liquid tight Flexible Metal Conduit Conn., 90deg. Elbow	4
3/8-16 X 3/4" HCS CS	90
3/8-16 X 2-1/4" HCS CS	120
3/8-16 X 2-1/2" HCS CS	52
3/8-16 X 3-1/4" HCS CS	65
1/2-13 X 1" HCS CS	24
1/2-13 X 1-1/4" HCS CS	429
1/2-13 X 1-3/4" HCS CS	366
1/2-13 X 2-1/4" HCS CS	90
1/2-13 X 3" HCS CS	243
1/2-13 X 3-1/4" HCS CS	281
5/8"-11x2.5 Z5 HCS	50
9/16-12 x 1-1/2" HCS, Zinc	19
8-32 X 1/2" SHCS	25
Circular MIL Spec Strain Reliefs & Adapters BACKSHELL SR R/A	1
3/8" S/S Studs	7
10-24 x 3" Round Head Machine Screw M/S	33
1/4"-20 X 4" RHS Z	8
8-32 x 3/8" PPHSMS	69
#10-32 X 2" MSPPHMS	53
1/4"-20 x 1/2" M/S RPH	19
10-24 X 1/2" OHPPH Pan Screw CS	100
#8 X 1" Sheet Metal Pan Head Phillips SS	200
5/16" X 3/4" HEX SMS ZAKG	11
#10 x 3/4 Drill & Tap	224
#10 X 1" Drill & Tap	152
#12 x 3/4 Drill & Tap	375
1/2" F/W Z	296
5/8"-USS THR LHD	268
5/8" HI-ALLOY L/W	298
3/8"-16 FHN Z5	2536
9/16-12 FHN Z 5 NUT	18
8 8 HCS 6MM - 1.0 X 20	10
1/4"-20 304SS Toggler	14
LUG, #6AWG CABLE 1/2" HOLE	6
22-18 AWG Ring Terminal # 10 Stud	76
1"x1/4" Reducing Coupling	4
1/2" X 3/8" Reducing Coupling, Brass	3
3/8-16 X 1" HCS SS	125
3/8-16x3 1/2 Hex head Bolts Stainless	60
3/8-16x4 Hex head Bolts Stainless	1
2-56 S/S NUT	147
3/8" JAM NUT	7
3/8-24 NF Jam Nut	94
#2 .093 X .250 S/S F/W	43
1/4" F/W	35
#2 S/S L/W	28
10-24 X 3/4" RHSS S/S	29
#10-24 X 1" RHSS S/S	27
10-24 X 1-1/2" SLOT PHMS SS	50
10-24 X 3/4" HWSLMS SS	253
4-40 X 3/8" FHMS S/S	117
#8-32 X 3/8" PPHMS SS	38
3/8"-16 X 1" PH Machine Screw Slotted	38
1/2"-13 X 3/4" S/S FHSMS	2
8-32 X 1-1/2" PPHMS SS	100
2-56 X 7/16 S/S PPHMS	28
4-40 X 3/4" FHMS S/S	155
10-32 X 7/8" S/S PPHMS	84
WASHER, FLAT, 3/8 X 1, SS 316	14
White Recept Plate	1
SCREW, HEX CAP, 8-32 X 1/2 ZINC	12
SCREW, SOCKET CAP, 4-40 X 1/2	8
FHSCS 5/16-18 X 1.25Z	16
3/8-16 X 1-1/2 Socket Countersunk Head Cap Screw Zinc	7
3/8"-16 X 3" Yellow Zinc SAE Grade 5 Hex Cap Screw	12
HCS, 3/8-16X1.5Z5USA	5
SCREW, #4-40 x 1/2", PHILLIPS PAN HEAD, SEMS, ZINC	16
SCREW, MACHINE, 3/8-16	8
3/8" - 16 316SSHXMSNUT	2
EB 10-6	59
ST to ST Fiber Optic Patch Cords, 1M	4
LOGIC STYLE SOCKET	10
6-32 X 3/8" MSPP	18
8-32 X 3/8" PHMS	19
10-32 X 3/8" M/S PPH	57
10-32 X 1" M/S PPH	111
1/4"-20 X 5/8" PPH M/S	93
#6 X 3/4" PPHSMS	80
#10 x 1-1/2" PFHTS	100
NUT, HEX HVY, 1/4-20 UNC, 18-8	37
LW, SS, #10	441
SCREW, HEX CAP, REGULAR, 1/4"-20 X 1/2" LG	60
VS-08-BU/RJ45-F/RJ45 Female Insert for Freenet Sys>	5
LOCTITE, 330 NO MIX ADHESIVE KIT	7
PLC-BSC-24DC/21-21 Relay Base	10
Plug-in Bridge - FBS2-12	4
UT10 to UT 2.5 reducing bridge	20
ACTIVE MODULE UMK 22-REL 120/21-21	3
1/4"-20 X 1-1/2" NCHZP	125



Item Description	Quantity
5/16-18x3/4 Hex head Bolt	125
5/16"-18 x 1-1/4" NCHZP	291
3/8X16X3/4 NC HZP	79
3/8"-16 x 2" NCHZP	500
3/8-16X2-1/4" EZ HEX CAP	935
3/8-16X2-1/2" EZ HEX CAP	543
3/8-16X2-3/4 EZ HEX CAP	405
3/8-16X3" EZ HEX CAP	245
3/8"-16x3-1/2 NC HZP	204
INSULATED FERRULES	20
20 POLE TERMINAL JUMPER	2
WASHER, FINISH MACHINE SCREW FLAT, #4 ZINC	30
SCREW, MACHINE, 316 SS, 8/32 X 3/4	12
WASHER, LOCK, 1/4"	18
CARTRIDGE, 25 CAL, SHORT, 6.3/10M	1
CAP SCREW, HEX, 3/8-16 X 3-1/4, C/S	40
END COVER, SAK 6N	36
1/4-20 FLN NUTSRT ALS	152
8-32 RIBBED NUTSRT LG FASTENAL	92
SCREW, PAN HEAD, PHILLIPS, SELF DRILL, #10-16 X 5/8, SS 410	71
CAP SCREW, M8-1 25X45MM DIN933 CLASS 8.8 ZP	71
SET SCREW, 5/16-18 X 3/4, BLACK OXIDE ALLOY STEEL, OVAL POIN	69
SET SCREW, 3/8-16 X 2-1/2,CUP POINT, ZP	68
CAPSCREW, HEX, 1/4-20 X 1-1/2, GR 5 ZN PLTD	207
HCS, 1/4-20X1.75Z5USA	98
CAPSCREW, HEX, SAE J429, 3/8-16 X 1-3/4, GR 5 ZN PLTD	2
CAPSCREW, HEX, SAE J429, 3/8-16 X 2, GR 5 ZN PLTD	19
CAPSCREW, HEX, 3/8-16 X 2-1/4, GR 5 ZN PLTD	3
HCS, 3/8-16X2.75Z5USA	400
CAPSCREW, HEX, SAE J429, 3/8-16 X 3, GR 5 ZN PLTD	5
CAP SCREW, HEX, 3/8-16 X 4	5
HCS, 1/2-13X1.75Z5USA	145
HCS, 1/2-13X2Z5USA	54
CAP SCREW, HEX, 1/2-13 X 2-1/2, STEEL	50
CAPSCREW, HEX, 1/2-13 X 2-3/4, GR 5 ZN PLTD	54
1/2-13 X 3" HCS CS	402
CAPSCREW, HEX, SAE J429, 1/4-20 X 3-1/2, GR 5 ZN PLTD	56
CAPSCREW, HEX, SAE J429, 1/4-20 X 4, GR 5 ZN PLTD	28
NUT, HEX, YELLOW ZINC, STEEL, CLASS 8	23
MACHINE SCREW, 5/16-18 X 1-1/4, SS	13
SCREW, FLAT HEAD, MACHINE 5/1618 X 1-1/2, SS 18-8	36
MACHINE SCREW, 5/16-18 X 1-3/4, SS	66
MACHINE SCREW, 5/16-18 X 2-1/2, SS	32
MACHINE SCREW, PAN HEAD, PHILLIPS, 3/8-16 X 1	50
MACHINE SCREW, PAN HEAD, 5/16-18 X 2-1/2, SS	54
MACHINE SCREW, PAN HEAD, 5/16-18 X 1-1/2, SS	27
MACHINE SCREW, PAN HEAD, 5/16-18 X 2, SS	56
FW, S/S, 3/8X3/4 O.D.	1730
THREAD CUTTING SCREW, 1/4-20 X 1-1/4	53
SCREW, MACHINE, 6/32 X 1/4, 316 SS	2
SCREW, MACHINE, 316 SS, 6/32 X 1/2	1
SCREW, MACHINE, PAN HEAD, #8-32 X 1", SS	8
SCREW, MACHINE, 10/32 X 3/8	9
SCREW, MACHINE, PAN HEAD, #10-32 X 1/2", 316 SS	39
CUSHIONED CLAMP, 1-1/8" OD	32
Fixed Bridge, FBI 2-20	6
BRIDGE, FIXED, 10 POSITION, FBI 10-8, SILVER	8
BRIDGE, INSERTION, EB2-15K/UK 35	14
Fuse terminal, ASK1, BFI, Hinge -	6
TERMINAL BLOCK, SAKD 2.5N	242
Bridge Bar Isolator, ISSBI 10-10	18
JUMPER- ISSBI 10- 8	8
End plate for ASK1 fuse terminal	11
END STOP, SAK 6/35PA	6
END BRACKET, EW 35, FOR TS 35 TERMINAL RAIL	2
TERM. MARKERS, DEK 5/6.5, 1-10 PREPRINTED, VERT. 10 PER CARD	5
TERMINAL LABELS, DEK 5/6.5, 11-20 PREPRINTED, VERTICAL	14
BLOCK, TERMINAL, GROUND MOD USLKG 3	10
TERMINAL BLOCK, GROUND MODULAR USLKG 5	234
2 Pole Jumper, SAK 6N	38
TERMINAL LABELS, DEK 5/6.5, 1-50 PREPRINTED, VERTICAL	11
COUPLING, HALF, 1 NPT, STEEL, SCH 40	7
LABEL, TERMINAL, DEK5/5, VERTICAL, 1-50	10
HEATER ELEMENT, ELECTRIC< PT-1850 240V 500W	4
Jumpering comb, 58 pole, angled, 8mm pitch, bare	287
Jumpering comb, insulation sleeve, 8mm pitch	161
CLAMP, END, E/NS 35 N	13
TERMINAL MARKER, UC-TM 5, UNICARD	1
Breaker TMC 1 MI 100 5.0A (5530931)	4
TMC2M1 120 2.0A	1
Contact TMC2M1 120 5.0A (5512014)	2
Breaker TMC 2-MI 120 10.0A (5511170)	1
CONNECTOR, POWER, HEAVY DUTY, HAN E MALE AWG 18 SLVR PLT	45
CONNECTOR, POWER, HEAVY DUTY, HAN E 24P M	1
TOP MOUNTED AUXILIARY SWITCH	2
GASKET	500
GASKET, SEALING, SIZE 12, MOUNTING FLANGE	21
Terminal, grounding	8
STUDS, STACK, 1/4-20 (SS250-20X1000)	76
TERMINAL, DIN RAIL, 2 POSITION, 30-12AWG	141



Item Description	Quantity
TERMINAL, DIN RAIL, 4 POSITION, 26-12AWG	90
TERMINAL, DIN RAIL, 2 POSITION, 26-12AWG	62
CONTACT BLOCK, NO-NC, 6A SCREW	7
PUSH BUTTON, BLACK FLUSH, OPERATOR	1
INDICATOR, 120V, TRANSFORMER TYPE, NO LENS	14
LIGHT, WHITE, 440 VAC, LED	4
CONTACT BLOCK, 2NO	1
PUSHBUTTON, BLACK, FLUSH, 1-NO 30mm MOUNTING	2
CONTACT BLOCK, 2NC	11
ILLUM. PUSHBUTTO 115 VAC	12
PUSH PULL OPERATOR RED BUTTON E-STOP	2
PUSHBUTTON, RED, 1NO/1NC, 30.5MM	3
MAINTAINED CONTACT ATTACHMENT	2
PUSHBUTTON, YELLOW, 30.5MM	3
GLASS LENS BLUE	5
GLASS LENS WHITE	15
WATER & OIL-TIGHT LENS, BLUE	1
PLASTIC LENS AMBER	2
GLASS LENS GREEN	8
SQUARE LEGEND PLATE, RED BACKGROUND, TEXT="RESET"	2
SQUARE LEGEND PLATE, BLACK BACKGROUND, TEXT="START"	2
SQUARE LEGEND PLATE, RED BACKGROUND, TEXT="STOP"	2
SQ LEGEND PLATE, BLACK BACKGRND, 3/16" LETR	1
SQUARE LEGEND PLATE, BLACK BACKGROUND, TEXT="MOTOR RUN"	8
CONNECTOR, RCPT	13
CONNECTOR, RCPT	41
CONNECTOR, PLUG	30
Terminal labels, DEK 5/6.5, custom print, vertical	3
ZACH STRIP ZB5,OR-FORTL.ZAHLEN 101-110	10
ZACH STRIP ZB5,OR-FORTL.ZAHLEN 111-120	10
ZACH STRIP ZB5,OR-FORTL.ZAHLEN 121-130	10
ZACH STRIP ZB5,OR-FORTL.ZAHLEN 131-140	10
ZACH STRIP ZB5,OR-FORTL.ZAHLEN 201-210	10
ZACH STRIP ZB5,OR-FORTL.ZAHLEN 211-220	10
ZACH STRIP ZB5,OR-FORTL.ZAHLEN 221-230	10
STRIP, ZACK MARKER, ZB 6-UNBEDRUCKT	95
AMPHENOL AEROSPACE CONNECTOR, MILITARY	28
DOOR ASSEMBLY, HD-DVD	1
SPACER, FAN	2
TOGGLE SWITCH GUARD	2
CABLE STACK PLATE - LEVEL 1	1
CABLE CLAMP, WR16S 16	1
GASKET, EXHAUST SHROUD, PLC CONTROLLER	2
BUTTON HEAD SOCKET, M4x10mm, SS	200
SCREW, HHCS, 3/8-16 X 3/4, ZINC, GRADE 5	31
CAPSCREW, HEX, SAE J429, 3/8-16 X 1-1/4, GR 5 ZN PLTD	306
SCREW, HHCS, 3/8-16 X 1-1/2, ZINC, GRADE 5	388
CAP SCREW, HEX, 3/8-16x3-1/2, ZINC	28
SCREW, HHCS, 1/2-13 X 1-1/2, ZINC, GRADE 5	224
HCS Z 5, 1/2-13 X 2	321
CAPSCREW HH 1/2 X 2-1/4 Z5	200
HCS Z 5, 1/2-13X2 1/2	432
SCREW, HEX CAP, 1/2-13X3-1/4, Z 5	20
CAPSCREW, HEX, SAE, 1/2-13 X 3-1/2, GR 5 ZN PLTD, PK=10	160
HCS, Z 5, 1/2-13x3-3/4	1760
HCS, Z 5, 1/2-13 X 4	17
CAPSCREW, 5/8 X 2-1/4 G5Z	52
WASHER, FLAT, TEFLON, 0.156 x 0.438 x 0.04	400
FERRULE, 16 AWG, INSULATED, BLACK, PK=500	2000
FERRULE, 14 AWG, INSULATED, BLUE, PK=500	1
FERRULE, 12 AWG, INSULATED, GREY, PK=500	484
FERRULE, 4 AWG, INSULATED, YELLOW, PK=50	200
SCREW, MACHINE, PAN HEAD, CROSS RECESSED, #6-32 X 1/2" LG	87
MACHINE SCREW, PH, PHILLIPS, #8-32 X 1/2	122
SCREW, PAN HEAD, PHILLIPS, MACHINE #10-32 X 1/2, MS ZN PLTD	432
SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, #10-32 X 3/4" LG	38
SCREW, PH, 10-32 X 3", ZINC	100
SCREW, MACHINE, PAN HEAD, CROSS RECESSED, 1/4"-20 X 3/4" LG	272
WASHER, FLAT, 1/4, ZINC	7
WASHER, FLAT, TYPE B NARROW, #6	269
WASHER, FLAT, TYPE B NARROW #8, ZINC FINISH	258
WASHER, FLAT, #10	90
WASHER, FLAT, TYPE B, REGULAR 3/8"	71
F/W, Z, 1/2 SAE	114
WASHER, 5/8 SAE FLAT Z	256
1/4 BOND SEAL S/S	78
5/16 BOND WASHER S/S	63
WASHER, FLAT, 1/2 X 1-3/8 OD	92
WASHER, LOCK, ZINC FINISH, MEDIUM SPLIT, #8	178
WASHER, LOCK, #10 STEEL	202
LOCK, WASHER, 5/8 Z	129
WASHER, LOCK, 1/4", ZINC FINISH, EXTERNAL TOOTH	121
WASHER, FLAT, 1/4, YZ	200
WASHER, FLAT, 3/8, YZ	216
WASHER, LOCK, 1/4, YZ	1600
WASHER, LOCK, 3/8, YZ	650
CLAMP, 1/2"	4
NUT, MACHINE SCREW, HEX, #6-32, ZINC	53
NUT, MACHINE SCREW, HEX, #8-32, ZN	84
NUT, HEX, 1/4"-20, ZINC FINISHED, GRADE 5	60
NUT FINISH HEX 5/8 Z5	128
NUT, NYLOCK, 8-32, NM Z	98
NUT, NYLOCK, 1/4-20 Z	50



Item Description	Quantity
NUT, ZINC M8-1.25	66
FERRULE, 16 AWG, INSULATED, BLACK, PK=500	1271
SCREW, HHCS, 1/4-20 X 1/2, SS	494
CAP SCREW, HEX, 1/4-20 X 5/8, SS	45
SCREW, HHCS, 1/4-20 X 1-3/4, 18-8 SS	2397
CAP SCREW, HEX, 1/4-20 X 7/8, SS	100
HCS, S/S, 1/4-20X1 1/4	994
HCS, S/S, 1/4-20X1 1/2	857
SCREW, HHCS, 1/4-20 X 1-3/4, 18-8 SS	208
SCREW, HHCS, 1/4-20 X 2, SS	715
CAP SCREW, HEX, 1/4-20 X 3, SS	12
HCS, SS, 5/16-18 X 3/4	151
HCS, SS, 5/16-18 X 1	194
CAP SCREW, HEX, 5/16-18 X 2-1/2, SS	60
CAP SCREW, HEX, 5/16-18 X 3, SS	21
CAP SCREW, HEX, 5/16-18 X 3-1/2, SS	21
CAP SCREW, HEX, 5/16-18 X 4, SS	23
CAP SCREW, HEX, 3/8-16 X 3/4, SS 18-8	3258
SCREW, HHCS, 3/8-16 X 7/8, SS	289
CAP SCREW, 3/8-16 X 1 UNC	83
CAP SCREW, HEX, 3/8-16 X 1-1/8, SS	100
CAP SCREW, HEX, 3/8-16 X 1-1/2, SS	60
HCS, SS, 3/8-16X1-3/4	399
CAP SCREW, HEX, 3/8-16 X 2, SS	50
SCREW, HHCS, 3/8-16 X 2-1/4, 18-8 SS	190
HCS, SS, 3/8-16X2 1/2	266
CAP SCREW, HEX, 3/8-16 X 2-3/4, SS	20
SCREW, HHCS, 1/2-13 X 3/4, SS	84
CAP SCREW, HEX, 1/2-13 X 1 1/2, SS	31
CAP SCREW, HEX, 1/2-13 X 1-3/4, SS	1
CAP SCREW, HEX, 1/2-13 X 4-1/2, SS	1
NUT, HEX, 8-32, CT, SS	521
NUT, SS, MS, 10-24	124
NUT, S/S MS, 10-32	1205
FHN, SS, 1/4-20	1787
FHN, SS, 5/16-18	474
NYLOCK NUT, HEX, 1/2-13	33
NUT JAM, 18-8 SS, 1/4"-20	44
NUT, NYLON, 10-32 UNF, SS 18-8	283
Nut, SS, NYLOCK1/4-20	109
NUT, LOCK, NYLON INSERT, 3/8-16	34
NYLOCK NUT, HEX, 1/2-13	23
FW, SS, #8	587
WASHER, FLAT, #8 SS	100
FW, SS, #10, 218x.437	98
WASHER, FLAT, #12 18-8, SS (96659A103)	81
FW, SS, 1/4 X 5/8 OD	232
FW, SS, 1/4 X 5/8 OD	232
FW, SS, 5/16 X 3/4 OD	2080
FW, SS, 3/8 X 7/8OD	161
WASHER, FLAT, 3/8 X 1 X 13/32 X .050, 18-8 SS	156
WASHER, FLAT, 1/2 SS	89
WASHER, #6 SPLIT LOCK, SS	276
WASHER, LOCK, #8, SS 304	172
LW, SS, 1/4	561
LW, SS, 3/8	300
WASHER, LOCK, 1/2 SS	37
SCREW, 6-32 X 3/8	5
MACHINE SCREW, FH, 1/4-20 X 3, SS	26
MACHINE SCREW, Slotted, 1/4-20 X 1-3/4, SS	57
MACHINE SCREW, PAN HEAD, 5/16-18 X 2-1/2, SS	106
MACHINE SCREW, Slotted, 1/4-20 X 1-1/4, SS	14
SCREW, MACHINE, PAN HEAD, STAINLESS	
STEEL, 6-32 X 3/8	1096
MACHINE SCREW, PH, PHILLIPS, #8-32 X 1/2, SS	68
MACHINE SCREW, PH, PHILLIPS, #8-32 X 3/4	207
MACHINE SCREW, PH, PHILLIPS, #8-32 X 1	70
MACHINE SCREW, PH, PHILLIPS, # 08-32 X 1-1/2	88
SCREW, PAN HEAD MACHINE, STAINLESS	
STEEL, 6-32 X 1/2	193
MACHINE SCREW, PH, PHILLIPS, #10-32 X 5/8 SS	536
PPHMS, SS, 10-32 x 3/4	583
MACHINE SCREW, PH, PHILLIPS, #10-32 X 1, SS	603
MACHINE SCREW, PAN HEAD, PHILLIPS, 10-32 X 2 SS PPH MS	45
MACHINE SCREW, PH, 1/4-20 X 1-1/2, SS	402
MACHINE SCREW, PH, 1/4-20 X 2, SS	70
MACHINE SCREW, PH, 1/4-20 X 2-1/2, SS	39
MACHINE SCREW, PHILLIPS, FLAT HEAD, 6-32 x 1/2, SS	100
MACHINE SCREW, PHILLIPS, FH, #8-32 X 1/2 SS	93
MACHINE SCREW, PHILLIPS, FH, 1/4-20 X .5, SS	50
1/4"-20 X 3/4" SS PPHMS SCREWS	30
MACHINE SCREW, PHILLIPS, FH, 1/4-20 X 1	11
MACHINE SCREW, PH, 1/4-20 X 1-1/4, SS	69
MACHINE SCREW, PH, 1/4-20 X 1-1/2, SS	238
MACHINE SCREW, PH, 1/4-20 X 1-3/4, SS	19
MACHINE SCREW, PH, 1/4-20 X 2-1/2, SS	37
MACHINE SCREW, PH, 1/4-20 X 3, SS	28
MACHINE SCREW, PAN HEAD, 8-32 X 1/2, SS	172
MACHINE SCREW, PHILLIPS, OVAL HEAD, 8-32 X 1 1/2, SS 18-8	65
SHEET METAL SCREW, SLOT INDENTED HEX	
WASHER, 1/2 X 3/4 SS	100
CAP SCREW, SOCKET, 8-32 X 5/8, SS	496
CAP SCREW, SOCKET, 10-32 X 1/2, SS	768
CAP SCREW, SOCKET, 10-32 X 5/8 SS	96
Screw, Socket Button HD Cap, SS, 8-32 Thread, 1/2 Length, 1	90
CAP SCREW, BUTTON HEAD SOCKET, 10-32 X 1/2 18-8, SS	352
CAP SCREW, FLAT HEAD SOCKET, 10-32 X 5/8, SS	35
NUT, HEXAGON, MACHINE SCREW, #8-32	146
NUT, FINISHED HEX, SS, 1/4"-20	86
Nut, 1/4-20, NYLOK, 316 SS	123
FERRULE, 18 AWG, INSULATED, RED, PK=500	6541
FERRULE, 16 AWG, INSULATED, BLACK, PK=500	7533



Item Description	Quantity
FERRULE, 14 AWG, INSULATED, BLUE, PK=500	3895
CONNECTOR, SPC21418, 3POS	12
ANGLED BRACKET-BG/SH	40
END CLAMP-E/AL-NS 35	7
Terminal Block End Stop Din Rail (\$ 1.2400)	14
QUICK WIREFOX 6 WIRE STOPPER	2
LAMPS, MINIATURE	21
WASHER, SQUARE, STEEL, 1.5" X .17" TH., .406 HOLE, WHITE	239
SCREW, HHCS, 1/4-20 X 2-1/2, ZINC	4
CAP SCREW, HEX, 5/16-18 X 1/2	2
CAP SCREW, HEX, 5/16-18 X 3/4, CS	3
CAP SCREW, HEX, 5/16-18 X 1-1/2	3
CAP SCREW, HEX, 5/16-18 X 2-1/2	2
Cat 6A TIA-B Module	45
FERRULE, TWIN WIRE, 14 AWG, INSULATED, BLUE, PK=500	1813
3/8-16 X 1.50" HCS CS	73
3/8-16 X 1.75" HCS CS	86
1/2-13 X 1-1/2" HCS CS	190
1/2"-13 x 2" Zinc Finish SAE J429 Grade 5 Hex Cap Screw	272
1/2-13 X 3-1/2" HCS CS	62
1/2"-13 x 3-3/4" Zinc Finish SAE J429 Grade 5 Hex Cap Screw (91247A729)	31
FERRULE, TWIN WIRE, 18 AWG, INSULATED, RED, PK=500	2045
SOLAR NEGATIVE MALE PLUG	32
FEMALE SOLAR CONNECTOR COUPLER	71
SOLAR UNIVERSAL FEMALE CONNECTOR	93
RJ45 SOCKET INSERT-VS-08-BU/BU-RJ45-F	5
PLC, HOT STANDBY LOADABLE	14
COVER, TERMINAL BLOCK END, D-MBKKB 2,5, GRAY	191
COVER, TERMINAL BLOCK SPACER, DP-MBKKB 2,5, GRAY	45
PLATE, PARTITION, ATP-DJK 1.5	201
PLATE, PARTITION, ATP-DJKD 1.5	246
TERMINAL BLOCK, FEED THROUGH-MBKKB2,5	128
SLIDE ASSEMBLY, LEFT & RIGHT	4
NUT, LOCK, SEALING, 2, FOR USE WITH CONDUIT	2
Circuit Breaker Adapter (PAD13D)	64
TERMINAL BLOCK	3
TRANSFORMER	1
PANEL FEED THROUGH-OPD W 3PE2.5 M25 FC BK CONNECTOR, OPD P 3PE2.5 9-14 BK	12
LABEL, TERMINAL,HORZ, WS 12/6.5, CUSTOM TB0 to TB9	2
Terminal, three-tier, with ground	1
Terminal, three-tier, with ground	8
NUT-Q-MU M25	8
SENSOR/ACTUATOR CONNECTOR-SACC-M12MS-4QO-Q.75	4
RJ45 MALE INSERT-VS-08-ST-H21-RJ45	33
RJ45 SOCKET INSERT-VS-08-BU-RJ45-6/KA/LSA	15
LABEL, TERMINAL, DEK 5/8, NUMBERED 1-50, SAK 6N	24
PANEL MOUNTING FRAME-VS-A-F-IP67	9
RJ45 CONNECTOR-VS-08-RJ45-5-Q/JP20	1
RJ45 CONNECTOR-VS-08-RJ45-5-Q/JP67	3
INSERT, CONTACT, HC-M-03-MOD-BU	6
CONTACT, CRIMP, CK4.0-ED-2.50ST AG	46
CONTACT, CRIMP, CK4.0-ED-2.50BU AG	119
CONTACT INSERT HC-M-12-MOD-ST	17
CONTACT INSERT HC-M-12-MOD-BU	2
CRIMP CONTACT CK1.6-ED-0.50ST AG	2
CONTACT, CRIMP, CK1.6-ED-1.00ST AG	100
CONTACT, CRIMP, CK1.6-ED-1.00BU AG	590
HOUSING-HC-B 6-TFL-72/MIPG2IS	377
RJ45 SLEEVE HOUSING-VS-08-T-RJ45/JP67	2
PANEL MOUNTING FRAME-VS-08-A-RJ45/MOD-1-IP67	25
JUMPER, TERMINAL BLOCK, 2 WAY, 5.1MM	26
JUMPER, TERMINAL BLOCK, 2 WAY, 5.1MM	48
LABEL, DO NOT DISCONNECT UNDER LOAD	48
LABEL, PLUS	70
ANALOG INPUT, 8 POINT, RTD	100
TRANSFORMER, CURRENT	2
TERMINAL MARKERS, BLANK	2
TERMINAL, RING, 22-16 AWG, #6 STUD, RED	6
TERMINAL BLOCK, FEED THROUGH-UK-5-TWIN	3
COVER, END, D-UK 5-TWIN	224
HVT PIN CONTACT 4.0 SQ MM ASSY	34
FUSE HOLDER, 600V, 100A	45
PLUG, HOLE, 5/8", NYLON, WHITE	94
PLUG, HOLE, 3/4", NYLON, WHITE	8
HOLE PLUG, 1IN	21
BLANK TAG, 1X1 IN, 3/16 IN.	19
THREAD STUD, 316 SS	25
THREAD STUD, STEEL, 1/4-20X1	359
THREAD STUD, STEEL, 3/8-16X1	200
SPRING NUT, CAGE STYLE	549
NIPPLE, CONDUIT, 2" X CLOSE, GALV STL	1190
Flameproof Resister 270 OHM 2%	2
CABLE BOOT, BLACK	4
HEAT SHRINK, CABLE BOOT, ENTRY SEAL	20
HEAT SHRINK, CABLE BOOT, MOLDED	2
POLYOLEFIN, CABLE ENTRY SEAL	27
HEAT SHRINK, CABLE BOOTS, ENTRY SEAL, POLYOLEFIN	19
CABLE ENTRY SEAL, CABLE	26
HEAT SHRINK CABLE BOOTS, ENTRY SEAL	24
MOUNT, ANTI-VIBRATION, 22001 SERIES	22
LIGHT INDICATOR 15-30V.	46
LIGHT INDICATOR 110-250V	13
CABLE ENTRY SEAL, CABLE	88
	26



Item Description	Quantity
HEAT SHRINK, CABLE BOOT, POYOLEFIN, RIGHT ANGLE, BLACK	4
CABLE ENTRY SEAL, CABLE	25
CABLE BOOT	2
BRIDGE, INSERTION, EBL 10-5	26
BUSHING, 4", NON-METALLIC	19
METER, 2.5" ELASPED TIME, 120VAC INPUT	4
TRANSFORMER, CURRENT, 200-5A WITH 80 LEADS	6
TRANSFORMER, CURRENT, 200-5A WITH TERMINALS	1
LUG, 6 AWG, 2 HOLE, 1/4 STUD, LONG BARREL	71
LUG, 4 AWG, 2 HOLE, 1/4 STUD, LONG BARREL	18
Liquidtight Cable Fitting, 3" Conduit	4
FUSE REDUCER, CLASS R	95
FUSE, 1A-250VAC, 5X 20MM (0217001.HXP)	12
FUSE, 10A-250VAC, 5X 20MM (17010.HXP)	20
COVER, END, D-PIK 4-PE/LNTB	186
TERMINAL BLOCK, SENSOR/ACTUATOR DIK 1.5	50
SEPERATING PLATE-D-DEK 1.5 GN	8
TERMINAL BLOCK, SENSOR/ACTUATOR DOK 1.5	26
PANEL, PATCH, TERMINAL BOX, FL CAT5	12
TERMINAL BLOCK, FEED THROUGH-UKK 3	299
COVER, END, D-UKK 3/5	99
FIXED BRIDGE-FBRNI 10-5	6
PLATE, SEPARATING, TS-KK 3	28
BRIDGE, FIXED, FBRNI 10-5N	72
SPACER PLATE-DG-UKK 3/5	212
TERMINAL BLOCK, FEED THROUGH-UKKB 3	93
COVER, END, D-UKKB 3/5	25
PARTITION PLATE-ATP-UKKB 3	41
BLOCK, TERMINAL, DIN RAIL, UKKB 5	11
FIXED BRIDGE - FBRI 10-8 N	3
BLOCK, TERMINAL SENSOR/ACTUATOR DIKD 1.5-TG	123
TERMINAL BLOCK, FEED THROUGH-UDK 4	73
BLOCK, TERMINAL, FEED-THROUGH, UDK 4ULA/EK, BLUE	298
BLOCK, TERMINAL, COMPONENT, UDK 4-ULA 24 RD/OL-U	121
COVER, END, D-UDK 4, GRAY	42
BLOCK, TERMINAL, FEED-THROUGH, UDK 3, GRAY	253
TERMINAL BLOCK, FEED THROUGH-UDK 4-TG	30
TRANSUDCER, VOLTAGE MEASURING- MCR-VDC-UI-B-DG	2
MCR CURRENT MEASURING TRANSDUCER	4
SIGNAL CONDITIONER- MCR-CLP-UI-I-4	1
RELAY, MODULR PR1-RSC3-LV-120AC/21	3
RELAY, 2 POLE, 24VDC, MODULE, PR1-RSC3-LDP-24DC/2X21	3
INLINE TERMINAL IB IL AT 2/SF-PAC	4
INLINE TERMINAL IB IL AO 2/SF-PAC	1
INLINE TERMINAL IB IL 24/4B DOR 2/W-PAC	2
POWER SUPPLY QUINT-DC-UPS-24VDC/20	2
POWER SUPPLY QUINT-DC-UPS-24VDC/40	1
POWER STORAGE DEVICE QUINT-BAT/24VDC/3.4AH	1
SUPPLY, POWER, QUINT-PS/1AC/24DC/10	3
ANTENNA CABLE-RAD-CON-MCX-N-SS	2
ANTENNA-RAD-ISM-2400-ANT-OMNI-2-1	1
POWER SUPPLY STEP-PS/1AC/12VDC/1.5	1
SCREW, MACHINE, ROUND HEAD, ZINC PLATED, #8-32 X 5/8"	27
CONFIGURATION MEMORY FL MEM PLUG/MRM	8
ETHERNET SWITCH-FL SWITCH SFN 8GT	5
SCREW, MACHINE, PAN HEAD, 10-32 X 5/8	28
STRAIN RELIEF, LIQUIDTIGHT, 1/2, NON-METALLIC	1
CONNECTOR, CONDUIT, 3/4, CORD .125-.375	52
CONNECTOR, LIQUID TIGHT, STRAIN RELIEF, STRT, 3/4, 310-560	16
POWER SUPPLY QUINT-PS-100-240AC/24VDC/2.5	3
SUPPLY, POWER, QUINT-PS-100-240AC/12DC/10	19
SINGLE RELAY REL-MR-60DC/21AU	1
RELAY, SINGLE, REL-MR-24DC/21HC	4
SINGLE RELAY REL-MR-110DC/21HC	2
TERMINAL BLOCK, RELAY DEK-REL-24/1/S	20
RELAY SOCKET PLC-BSC-24DC/21	15
SOCKET, RELAY, PLC-BSC-120UC/21	9
RELAY SOCKET PLC-BSC-24DC/1/ACT	5
RELAY SOCKET PLC-BSC-60DC/21	1
MODULE, RELAY, PLC-RSC-24DC/21	7
MINIATURE SOLID STATE RELAY OPT-60DC/24DC/2	1
MINIATURE SOLID STATE RELAY OPT-24DC/48DC/100	6
PLC-OSC-120UC/24DC/2, PLC INTERFACE	2
BRIDGE, CONTINUOUS PLUG IN - FBST 500-PLC BU	14
BRIDGE, CONTINUOUS PLUG-IN, FBST 500-PLC GY	16
PLATE, SEPARATING, PLC-ATP BK	11
RELAY SOCKET-PLC-BSP-120UC/21	1
RELAY MODULE PLC-RSC-24DC/11C/ACT	4
MODULE, RELAY, PLC-RSC-24DC/21HC	14
SOCKET, RELAY, PLC-BSC-24DC/21HC	4
PLC-BSC-120UC/21HC Relay Base	2
RELAY MODULE PLC-OSC-120UC/230AC/1	4
MINIATURE SOLID STATE RELAY OPT-24DC/230AC/1	6
SPLICE, BUTT, 12-10 AWG, CU/SN	49
RING, SELF HEALING	1
Tungston Carbide Hole Saw, 1-7/8"	2
RIGID CONDUIT COUPLING, 1 IN, STEEL	4
Cord Connector Locknut Nylon 1/2"	5
Cord Connector Locknut Nylon 3/4"	5
OPTICAL INTERFACE	8
BETA CAMP ASSEMBLY, SINGLE, 5/8" TUBE	8



Item Description	Quantity
CLAMP, CUSHIONED, EPDM, DIA 1/4 IN PK=25	94
CLAMP, CUSHIONED, 3/8 IN	101
CLAMP, CUSHIONED EPDM, DIA 1/2 IN, PK=25	40
CLAMP, CUSHIONED EPDM, DIA 1/2 IN, PK=25	40
CLAMP, CUSHIONED EPDM, Dia. 3/4 In PK=25	59
CLAMP, CUSHIONED, EPDM, DIA. 1 In, PKG 25	25
CLAMP, CUSHIONED EPDM DIA 1 1/4 PACK=10	25
CLAMP, CUSHIONED EPDM, DIA 1 1/2 PACK=10	28
CONNECTOR, LIQUID TIGHT, 90 DEGREES, 1/2 IN	4
BLOCK, TERMINAL, INSTALLATION LEVEL, PK 4-L1-B	86
END COVER D-UK 2.5	51
TEST PLUG PS-UK 2.5 B/Z-5	88
BLOCK, TERMINAL, FEED-THROUGH, UK 3 N	470
TERMINAL BLOCK, PICK OFF, AGK 10-UKH 50	40
TERMINAL BLOCK, FEED THROUGH-UK 3 TWIN	79
END COVER D-UK 3 RETURN	57
TERMINAL BLOCK, FEED THROUGH-UK 5	32
RETURN	32
COVER, END, D-UK 4/10	15
PLATE, PARTITION, ATP-UK	399
TERMINAL BLOCK, FEED THROUGH-UK 2.5 N BU	3
TERMINAL BLOCK, FEED THROUGH-MBKKB 2.5-2DIO/O-ULO-UR	275
TERMINAL BLOCK, GROUND MODULAR USLKG 10 N	48
BLOCK, TERMINAL, FUSE MODULAR, UK 5-HESI	736
BLOCK, TERMINAL, FEED-THROUGH, UK 5 N	118
BLOCK, TERMINAL, FEED-THROUGH, UK 6 N	24
TERMINAL BLOCK, FEED THROUGH-UK 10 N	3
BLOCK, TERMINAL, FEED-THROUGH, UK 10-TWIN	16
BRIDGE, PLUG-IN, FBS 2-16	30
BLOCK, TERMINAL, FUSE MODULAR, UKK 5-HESI (5X20)	78
BLOCK, TERMINAL, FUSE MODULAR, UKK 5-HESI (5X20)	78
BLOCK, TERMINAL, FEED-THROUGH, UK 35	13
PLATE, PARTITION, TP-UK 35	4
TERMINAL BLOCK, FEED THROUGH-UKH 50	24
INSERTION BRIDGE, TERMINAL BLOCK, INSULATED, GRAY	18
TERMINAL BLOCK, SENSOR/ACTUATOR-DOKD 1.5-TG	137
LENS FOR T-2 SLIDE BASE	1
BLOCK, TERMINAL, DISCONNECT, UK 4-T	42
BRIDGE, PLUG-IN, FBS 10-5	10
BRIDGE, PLUG-IN, FBS 4-8	16
BRIDGE, PLUG IN FBS 20-6	53
TERMINAL BLOCK, GROUND MODULAR - UT 2.5-PE	7
TERMINAL BLOCK, UT4	16
TERMINAL BLOCK, FEED THROUGH-UT 6 BU	3
BLOCK, TERMINAL, FEED-THROUGH, UT 10	3
BLOCK, TERMINAL, FEED-THROUGH, UT 35	41
BLOCK, TERMINAL, FEED-THROUGH, UT 4-TWIN	88
BLOCK, TERMINAL, FEED-THROUGH, UT 2.5-TWIN	50
BLOCK, TERMINAL, FEED-THROUGH, UT 2.5-TWIN-PE	45
TERMINAL BLOCK, FEED THROUGH-UT 2.5-QUATTRO	50
BLOCK, TERMINAL, DOUBLE-LEVEL, UTTB 2.5	1
TERMINAL BLOCK, FEED THROUGH-UTTB 4-PE	1
BLOCK, TERMINAL, FUSE MODULAR, UT 4-HESI (5X20)	63
TERMINAL BLOCK, FUSE MODULAR-UT 6-HESI (6.3X32)	1
TERMINAL BLOCK, KNIFE DISCONNECT-UTTB 4-MT P/P LA 24 RD/O-U	2
COVER, END, D-UT 2.5/10	1
BRIDGE, REDUCING, RB UT 10(2.5/4)	36
END COVER FOR UT2.5-MT, GRAY	134
PLATE, PARTITION, ATP-UT	101
COVER, END, D-UT 2.5/4-QUATTRO	9
PLATE, PARTITION, ATP-UT-TWIN	80
COVER, END, D-UT-16	37
COVER, END, D-UTTB 2.5/4	4
PLATE, PARTITION, ATP-UTTB 2.5/4	4
END COVER D-RSC 5	14
BLOCK, TERMINAL, FEED-THROUGH, BOLT CONNECTION, RBO 5, GRAY	80
BLOCK, TERMINAL, TEST DISCONNECT, RBO 5-T	90
FIXED BRIDGE FB10-9	31
TERMINAL BLOCKS, DIN RAIL, 26-12AWG, 20A	100
TERMINAL BLOCK, THERMOCOUPLE MTKD-FE/CUNI	88
TERMINAL BLOCK, THERMOCOUPLE MTKD-NICR/NI	30
BLOCK, TERMINAL, KNIFE DISCONNECT, MTK	9
COVER, END, D-MTK	208
GRINDING WHEEL ZA24T # 16785	1
Terminal, Ring, #6 Stud, 16-22 AWG, Crimp	920
BRIDGE, FIXED - FBI 2-20 N	6
MULTI-LEVEL TERMINAL BLOCK - UT 2.5-3L	2
KIT, SHORT CIRCUIT, CURRENT XFMR, CARRIER 35-13 KIT, PK=50	40
LOOP CLAMP, RUBBER CUSHIONED, 1/4, PK=25	53
LOOP CLAMP, RUBBER CUSHIONED, 3/8, PK=25	23
CLAMP, LOOP, 2" OUTSIDE DIA., SS 300 SERIES, EPDM CUSHION	136
CLAMP, LOOP, 1/2" OUTSIDE DIA., ZN PLTD, EPDM CUSHION	55
LOOP CLAMP, RUBBER CUSHIONED, 5/8, PK=25	14
CLAMP, LOOP, 3/4" OUTSIDE DIA., ZN PLTD, EPDM CUSHION	854
LOOP CLAMP, RUBBER CUSHIONED, 1, PK=25	28
WASHER, FLAT, USS, 3/8, ZN PLTD	3685
WASHER, FLAT, 1/2, ZN PLTD	1332
WASHER, FLAT, 5/8, ZN PLTD	244



Item Description	Quantity
WASHER, LOCK, SPLIT, 1/2, YELLOW ZN PLTD	161
Glastic Isolator	20
NUT, HEX, 1/2-13, ZN PLTD	49
PAWL ASSEMBLY	6
NUT, FINISH HEX 5/8 ZS	300
CIRCULAR MIL-SPEC BACKSHELLS, SUB CBL SEAL	50
HEAT SHRINK, 19.8MM ID, CABLE BOOT, Y TRANS, POLYLYFN, BLACK	6
HEAT SHRINK, CABLE BOOT, Y TRANS, POLYMER FLEX, BLACK	1
CABLE BOOT, MOLDED PART, BREAKOUT Relay; E-Mech; Gen-Purp; DPDT; Cur-Rtg 25A; Ctrl-V 24DC; Vol	9
TERMINAL, TBS, 10	3
TERMINAL BLOCK, 8 POS, 14.3mm, 30A	5
Terminal, Ring, 12-10AWG, Yellow, 50 per pack	100
CONNECTOR, 2 SCREW, 1-1/2 SIZE	2
LUG, 1/0, SN/AL, 1 Hole 3/8	6
SLEEVE, WIRE MARK, 2 X .851 POLY, WHITE, ROL=250 EA	1
RELAY, CONTACTOR 110VAC COIL, 2NO/2NC, 4-Pole, DIN RAIL	4
CONTACTOR RELAY LATCHED, 120 VAC, 2 NO+2 NC, 50/60HZ	1
TIMER, ON DELAY	1
SURGE SUPPRESSOR	4
PUSHBUTTON, MAINTAINED, YELLOW, 40MM, OP. ROUND-PLASTIC	2
ACTUATOR-INDICATOR COMPONENT CONTACT BLOCK WITH 2 CONTACTS	2
ENCLOSURE FOR COMMAND DEVICES, 22MM, 1 COMMAND POSITION, UNE	2
TERMINAL KIT	1
5 POLE RELAY	1
BRUSHES, CHIP, 1 IN, INDUSTRIAL GRADE	37
BALL VALVE, SSTUBE X TUBE, 3/8	1
Locknut, 2"	18
Locknut, 3-1/2"	4
AXIAL FAN, 24VDC, 119mm	2
ALLEN BRADLEY SAFETY RELAY	2
AXIAL FAN 24VDC 119mm	2
AXIAL FAN 24VDC 119mm	1
LOW-PRESSURE BRASS THREADED PIPE FITTING 1/2 PIPE SZ COUPLIN	2
HEX BUSHING, 3/4" NPTM x 1/2" NPTF, 304 SS	6
STANDARD-WALL BRASS THREAD PIPE NIPPLE, 1/2 PIPE SZ x 1-1/8L	2
AXIAL FAN 115VAC 119mm	1
TRANSFORMER, VOLTAGE	8
WALL JACK, TELEPHONE, STANDARD, 6P4C, IVORY	49
VIBRATONE HORN, 120VAC, 0.18AC, GRAY	1
WIRE MARKER, 25X1.5, 0-49, 150/CARD	2
CEMENT ANCHORS, 5/16	50
CHUCK, 3/8, COPPER ALLOY	6
MOLEX, CONNECTOR CONTACT, SKT, WIRE TERMINAL	20
FERRULE GRIP, 3/8 IN	5
ST-K 4	40
254X LAPPING FILM	110
263X LAPPING FILM	211
CONNECTOR, 15A, 125 VOLT, 2POLE, YELLOW PLUG AND SOCKET CONNECTOR HOUSING, MOLEX	3
PLUG AND SOCKET CONNECTOR HOUSING, MOLEX	3
RECEPTACLE, 2 POLE, 3 WIRE, ORANGE	1
CONNECTOR, HARD SERVICE CORD	3
CONTACT BLOCK 1 NO	4
CONTACT BLOCK, 1NO/1NC	1
LEGEND PLATES	2
LEGEND PLATES, START	4
LEGEND PLATES, STOP	6
LIGHT, PILOT, METAL, NO LENS, 120V, INCAN BULB	1
PUSHBUTTON, METAL, 2 POSITION, 1NO-1NC, RED	1
LENS, ACCESSORY, KIT, PLASTIC, RED	5
LENS FOR INDICATOR, WHITE	3
SELECTOR OPERATOR 2 POS A CAM LONG LEVER	4
BATTERY HOLDER FOR CR2032	4
FITTING, BRASS BARBED HOSE, 1/4" HOSE ID x 1/4" N, PK/10	10
FITTING, BRASS BARBED HOSE, 1/4" HOSE ID x 1/4" N, PK/10	10
Brass Barbed Elbow, 90 Degree Elbow for 1/4" Hose ID x 1/4"	1
FITTING, HOSE, BARB, ELBOW, 90 DEG, 1/8" MALE X 3/8", BRASS	4
OCTAGON BOX	5
Worm-Drive Hose Clamp with Zinc-Plated Steel Screw, 13/16" t	3
TRANSFORMER, CURRENT	3
LUG, 600 kcmil, 2 HOLE, 1/2" STUD, LONG BARREL	4
LUG, 700MCM, 2 HOLE, NARROW TONGUE	3
LUG, 14-10 AWG, 1 HOLE, 1/4" STUD, LONG BARREL	33
LUG, 250 kcmil, 1 HOLE, 1/2" STUD, LONG BARREL	3
LUG, 300 MCM, CU/SN, 1-Hole 1/2 (5.9600)	20
LUG, 400 MCM, 1 Hole, CU/SN, LONG BARREL	4
LUG, 600 MCM, 1 Hole, CU/SN, LONG BARREL	6
LUG, 8 AWG, 1 HOLE, 1/4" STUD, LONG BARREL	24
MICROPHONE, DYNAMIC, DESKTOP	2
OPTOCOUPLER PLC-OSC-120UC 48DC/100 CID2	27
SOCKET, EMG30-SD/US/15A	3
SEMICONDUCTOR DEVICE DIODE	4
HEAT SHRINK, LABEL TAPE, 1/4" X 5', POLYOLEFIN, WHITE	3



Item Description	Quantity
CONNECTOR, 1/2 CONDUIT, 90 DEGREE, 2.5L, STRAIN RELIEF	14
CONNECTOR, 3/4 CONDUIT, 90 DEGREE, 2.81L, STRAIN RELIEF	4
LOCK NUT, PG 11 THREAD, NICKEL-PLATED BRASS	97
RNG VNL BS, 12-10 1/4	50
DSN30 HANDLE	1
AXIAL FAN 24VDC, 60mm	1
RELAY, 15A CTR-V 120 VAC 277/28VAC/DC	2
Receptacle / Connector	1
AXIAL FAN 24VDC 172mm	6
14V RED LIGHT LAMP	2
CABLE TIE, 11-9/16", WHITE, NYLON W/SS LOCK	3
CABLE TIE, 14-3/16", WHITE, NYLON W/SS LOCK	15
TERMINAL BLOCK, 670A GP SERIES DOUBLE ROW	1
Insulated Cable Clamps, 1/2"	25
CABLE TIE, NYLON, 1.125-28.575 MM 6.	150
CONNECTOR, CORD, LIQUID TIGHT, STRAIGHT, 3/8" NPT, BLK NYLON	4
CONNECTOR, CORD, LIQUID TIGHT, 1/2" NPT, BLK NYLON	2
CONNECTOR, CORD, LIQUID TIGHT, STRAIGHT, 3/4" NPT, BLK NYLON	6
LOGO# DM8 230R, EXP. MODULE, PU/IO: 230V/230V/RELAIS, 2IE	1
POWER SUPPLY, WL 24V/2.5A ETU/COMM	3
UNIVERSAL TERMINAL MODULE	8
ET 200S Terminating Module	2
DIG OP, 16 DO, 24V DC, TRANSISTOR 0.5A, SIMATIC S7-1200	3
RTD MODULE, SIMATIC S7-1200, ANALOG INPUT, SM 1231, 4 X AI	5
DIN RAIL, SIMATIC S7-300, L=530MM	2
CONNECTOR, BUS, 15.8 X 64 X 35.6 MM (WXHXD)	5
ETHERNET SWITCH, OSM ITP62 WITH DIGITAL INPUTS, PORT 7 OR 8	1
RJ45 STRAIGHT CONNECTOR	5
FAST CONNECT (FL) OUTLET, RJ45	2
VOLTAGE CARD, 1 MARKER, 480 VOLTS	8
VOLTAGE CARD, 1 MARKER, 120/208 VOLTS	8
HANGER, STEEL, ACCOM 1/2 THRU 4 EMT OR RIGID CONDUIT	15
HANGER, CONDUIT, 1/2 EMT	92
SNAP SWITCH, 15A, SPDT, PANEL MOUNT PLUNGER	8
SWITCH BOX, 1 GANG	1
STRIP TERMINAL, 200 SERIES, 4 POLE, BLACK	3
HCS, SS, 1/4-20 X 1	421
SCREW, HHCS, 1/4-20 X2 1/4 18-8 SS	61
SCREW, HHCS, 1/4-20 X 2 1/2, 18-8 SS	22
SCREW, HHCS, 1/4-20 X 3, 18-8 SS	21
POTENTIOMETER, 2W, 100 OHMS, P/N RV4NAYS0101A	3
RELAY BASE	2
RELAY BASE	1
TIMING RELAY	1
CAPSCREW, HEX, 3/8-16 X 1/2, SS 18-8	124
SCREW, HHCS, 3/8-16 X 5/8, 18-8 SS	50
CAPSCREW, HEX, 3/8-16 X 1-1/2, SS 18-8	566
CAPSCREW, HEX, 3/8-16 X 2, SS 18-8	357
CAPSCREW, HEX, 1/2-13 X 1, SS 18-8	63
MODIFIED ROUND ROCKER SWITCH WITH 6 TABS	79
SCREW, HHCS, 1/2-13 X 1-3/8, SS	50
SCREW, HHCS, 1/2-13 X 2-1/2, 18-8 SS	22
SCREW, HHCS, 1/2-13 X 4 1/2, SS	37
SCREW, HHCS, 1/2-20 X 1, SS	4
SCREW, HHCS, 1/2-20 X 3-1/8, SS	50
NUT, HEX, #10-32, SS 18-8	2260
W-21 CBL ASSM	3
FLAT WASHER, SMALL OD, 18-8 SS, #4	64
WASHER, FLAT, SMALL OD, #6, SS 18-8	1515
FW, SS, #8	37
WASHER, FLAT, SMALL OD, #10, SS 18-8	355
SPLIT LOCK WASHER, MEDIUM, 18-8 SS, #4	1487
LW, SS, 5/16	1000
LW, SS, 3/8	475
RING TERMINAL, STANDARD, NONINSULATED, 6 AWC, SCREW 25/PK	34
HEAT SHRINK, 3/8" SZ, CHEMICAL RESIST PVC TUBING, 25 FT	1
HEAT SHRINK, 1/2 X 25 FT, CHEMICAL RESISTANT, PVC TUBING	1
HEAT SHRINK, 3/4 X 25', PVC PLASTIC, TUBING, 2:1 RATIO, COLR	1
DRS ARMOR REMOTE GAMBER-JOHNSON LLC	1
RELAY, SOLID STATE, 4-30VDC, 10A	2
SCREW, PAN HEAD, PHILLIPS, MACHINE, #10-32 X 1 1/2, SS 18-8	39
PPHM, S/S, 1/4-20 x 3/4	323
PPHMS, S/S, 1/4-20 x 1	166
MACHINE SCREW, PHILLIPS, FLAT HEAD, 8-32 X 1-3/4, SS	109
PPHMS, S/S, 1/4-20 X 3/4	75
MACHINE SCREW, FH, PHILLIPS, #10-32 X 7/16 18-8 SS	126
FH Phillips Mach Screw, 18-8 SS, 1/4"-20 thread, 1-1/4" length	191
MACHINE SCREW, FH, PHILLIPS, 1/-20 X 1-3/4, 18-8 SS	25
3-8-24X1/2 HEX DRIVE CUP PT 18-8 SS SOCKET SET SCREW	106
CAP SCREW, HEX, 10-24 X 1, SS	38
CAP SCREW, SOCKET, 10-32 X 7/8, SS	100
S/S BHSCS 10-32 x 5/8"	198
CAP SCREW, BUTTON HEAD SOCKET, 1/4-20 X 3/4, SS	20
SCREW, BUTTON SOCKET CAP, STAINLESS STEEL, 5/16-18 x 1	12



Item Description	Quantity
CAP SCREW, SOCKET, 3/8-16 X 1/2, SS	4
CAP SCREW, FLAT SOCKET, 3/8-16 X 3/4, SS	15
GROMMET, RUBBER, 1/2	8
SINGLE RELAY REL-MR-110DC21HC	2
CAP SCREW, HEX, 3/8-16 X 1-1/4, BRASS	8
COUPLING, CONDUIT, 1" TRADE SIZE, ZN PLTD IRON	4
WASHER, FLAT, 3/8, BRASS	8
MACHINE SCREW, SLOTTED, ROUND HEAD, 10-24 X 1, BRASS	38
ADHESIVE, LOCTITE 20251, .85 OZ SYRINGE & .88OZ ACTIVATOR	2
HOLDER, CABLE TIE, 1-1/8", ADH BACK/SCREW MT, NYLON, WHITE	150
HOLDER, CABLE TIE, 1-1/2", ADH BACK/SCREW MT, NYLON, WHITE	222
SHRINK BOOT, SERIES 77, ANGLED	22
SHRINK BOOT, SERIES 77, STRAIGHT	1
THICK-WALL SEAMLESS STEEL THREADED PIPE NIPPLE, 1" NPT	8
WASHER, FLAT, SS 316, 0.156 X 0.312 Washer, Flat, Narrow, #10	4 1034
HEAT SHRINK, 1" ID X 48", POLYOLEFIN, PASTIC, 2:1 RATIO BLACK	2
HEAT SHRINK, 1/4 X 48, FLAME-RETAR, POLY, BLACK, EA=4 FT	27
HEAT SHRINK, 3/8, POLYOLEFIN TUBING, BLACK, 4 FT	2
HEAT SHRINK, 1/2, POLYOLEFIN TUBING, BLACK, 4 FT	2
End plate for 161527	8
HARDWARE, OUTSWING DOOR	7
RESISTOR HARDWARE, THRU-BOLT HARDWARE 225W	8
RISE INSERT SLEEVE 14/8	3
RISE INSERT SLEEVE 16/10	3
RISE INSERT SLEEVE 18/12	37
RISE INSERT SLEEVE 20/14	25
RISE INSERT SLEEVE 22/16	7
RISE INSERT SLEEVE 27/19	57
RISE INSERT SLEEVE 31/23	14
RISE INSERT SLEEVE 35/27	16
LARGE SQUARE BEZEL	8
LOCKING WASHER	8
MOM PUSH BUTTON	8
FULL VOLTAGE MODULE 120V	10
TAP & DRILL SET, 1/4-20NC, HSS	1
UNINSULATED RING LUG	250
DUPLEX, LC/LC MM, 62.5, 1M (OFNP)	1
CONNECTOR, CORD, LIQTIGHT, 1/2" NPT X .25"-38", GRAY NYLON	5
Liquid Tight Straight Cord Grip (Steel)	1
TERMINAL, RING, #12-#10 AWG 1/4 STUD	15
Plastic Edge Trim, Serrated, 1/16" Inside Width, 5/32" Insid	25
Plastic Edge Trim, Serrated, 1/8" Inside Width, 11/64" Insid	25
RELAY SOCKET, 10A	3
RELAY, 240VAC, 12A	78
RELAY, 24VDC DPDT	6
STD STR M/SPNG/PSA .125 X .500	55
CONTACTOR, 3PST-NO, 30A, 120AC	2
GLASS LENS AMBER	2
PLASTIC LENS GREEN	5
SWITCH CAMS	5
SWITCH CAM	10
PLUG, 30mm	3
CONTACT BLOCK, 1NO-1NC	28
BLOCK, CONTACT, 1 NO, PROTECTED TERMINALS, SILVER ALLOY	21
BLOCK, CONTACT, 1 NC, PROTECTED TERMINALS, SILVER ALLOY	29
PLATE, SQUARE LEGEND, BLACK BACKGROUND, "MOTOR STOP"	8
LEGEND PLATE, 90MM, E-STOP	4
PUSHBUTTON, EMERGENCY STOP, RED, TRIGGER ACTION/TURN RELEASE	8
PUSHBUTTON, BLACK, FLUSH, 2-NO, 30mm, MOUNTING	8
PUSHBUTTON, MUSHROOM, OPERATOR	2
9001KS11B	5
ENCLOSURE, CONTROL STATION, 1 CUT-OUT, ALUM	68
PLASTIC LENS BLUE	1
GLASS LENS RED	3
LAMP	4
PUSHBUTTON	4
SELECTOR SWITCH, 30MM, 2 POSITION	4
LOCKNUT, HEX, THIN, NYLON-INSERT, #6-32, 100/PK	160
NUT, NYLON-INSERT, #8-32, 100/PK	125
NUT, HEX, NYLON INSERT, THIN, #10-32, SS 18-8, 50/PK	101
316 SS Flat Washer, Number 6 Screw Size 100/PK	108
WASHER, FLAT, 1/4", SS 316, 100/PK	100
WASHER, FLAT, 5/16", STL, ZN PLTD, 100/PK	58
LAG SCREW, HEX HEAD, 1/4" X 2.00" LG, 10/PK	5
WASHER, FLAT, #10, ZINC PLATED STEEL, 100/PK	92
SCREW, SKT HD CAP, #10-32 X 1" LG 25/PK	67
WASHER, FLAT, BLIND RIVET, STAINLESS STEEL	49
ALUMINUM HANDLE, PUSH BUTTON QUICK RELEASE PIN	4
ALUMINUM HANDLE, PUSH BUTTON QUICK RELEASE PIN	2
HEX WASHER SCREW, #6-32 X 1/4" LG	255
SCREW, MACHINE, HEX WASHER HEAD, CLOTTED, 1/4-20 X 3/4 LG, S	25
SCREW, SEMS, PPHD, M3 X 5MM LG	31
ELECTRICAL TIMING RELAY, SQUARE D	1
RELAY, TIMER, 240VAC, 10A, T-JCK	1



Item Description	Quantity
HEX NUT, NYLON-INSERT 4-40 1/4, ZINC TREDED GRADE 2-STEEL	395
NUT, HEX, 1/4"-20, SS 300 SERIES	60
END BARRIER	99
SCREW, PPHMS, SEALING, 10-32 X 5/8, SS, 5/PK	38
SCREW, PPHMS, SEALING, 1/4-20 X 3/4, SS, 5/PK	3
SCREW, PPHMS, SEALING, 4-40 X 1/2, SS, 10/PK	54
WASHER, SPLIT LOCK, #10, Z-PLTD STL, 100 PER PACK	175
WASHER, LOCK, SPLIT, 5/16", ZN PLTD, 100/PK	62
5/8" ZINC LOCK WASHER	35
ASK1 fuse terminal, BFI, Hinge +	5
NUT, HEX, #4-40, SS SERIES 300, PK=25 EA	153
NUT, HEX, MACHINE, #6-32, SS SERIES 300, PK=25 EA	20
NUT, HEX, MACHINE SCREW, #10-32, SS 300 SERIES	80
SCREW, SEMS, #4-40 X 1/2" LG (PK=25)	60
SCREW, SEMS, #6-32 X 1/4" LG (PK=25)	29
SCREW, SEMS, #6-32 X 3/75" LG (PK=25)	7
SCREW, SEMS, #6-32 X 1/2" LG (PK=25)	26
SCREW, SEMS, #6-32 X 5/8" LG (PK=25)	34
SCREW, SEMS, #8-32 X 3/8" LG (PK=25)	56
SCREW, SEMS, #8-32 X 5/8" LG (PK=25)	34
SCREW, SEMS, #10-32 X 1/2" LG (PK=25)	13
CAPSCREW, HEX, 1/4"-20 X 1-1/4", GR 5 ZN PLTD	100
CAPSCREW, HEX, 3/8"-16 X 2", GR 5 ZN PLTD, 25/pk	11
BOLT, GR5, LG, 3/8" - 16 X 2 1/2	25
SCREW, PAN HD, PHILLIPS, #4-40 X 1/4", SS 300 SERIES	368
SCREW, MACH, PAN HEAD PHIL, 300 CRES, #1, 4-40, 1/2 IN	358
SCREW, PAN HD, PHILLIPS, #6-32 X 3/4", SS 300 SERIES	52
WASHER, LOCK, SPLIT, #6, SS-300, PK=100 EA	100
WASHER, LOCK, SPLIT, #8, SS-300, PK=100 EA	93
WASHER, LOCK, #10	186
FLAT WASHER, 316 SS, NO 10, 3/4" OD, 0.03"-0.05" THICK 50/PK	22
316 SS Pan Head Phillips Machine Screw, 6-32 THREAD 50/PK	212
SCREW, MACHINE, PAN HEAD PHILLIPS, 10-32X1/2 LG	228
SCREW, FLAT HD, PHILLIPS, #8-32 X 1/2", SS 18-8	76
SCREW, FPHD, 82 DEG, #8-32 X 2" LG (PK=50)	52
SCREW, FLAT HD, PHILLIPS, 1/4"-20 X 1-1/4", SS 18-8	23
SCREW, FLAT HD, PHILLIPS, 1/4"-20 X 1-3/4", SS 18-8	3
SCREW, FLAT HD, PHILLIPS, 5/16"-18 X 1-1/4", SS 18-8	2
SCREW, FLAT HD, PHILLIPS, #10-32 X 7/16", SS 18-8	410
NUT, NYLON LOCK, #2-56	143
Nut Hex 8-32" 18-8 SS	272
NUT, HEX, 5/16"-18, SS 18-8	94
NUT, HEX, 3/8-24, SS, PK=100	55
NUT, ACORN, 3/8"-16, SS 18-8	7
WASHER, LOCK, SPLIT, 5/16" SS 18-8	196
316 SS Split Lock Washer, Number 6 Screw SIZE 100/PK	229
WASHER, SPLIT, LOCK, #10, SS 316	254
EXTERNAL TOOTH LOCK WASHER, 5/16"	118
SCREW, SOCKET HEAD CAP, #10-32 X 7/16" L	95
CAPSCREW, SOCKET HD, #8-32 X 7/16", SS 300 SERIES	130
SCREW, SKT HD CAP, #8-32 X 1/2" LG	184
SCREW, MACHINE, SOCKET HD, SS 1/4-20 X 1/2, PK=50	30
CAPSCREW, SOCKET HD, 1/4"-20 X 3/4", SS 300 SERIES	50
SOCKET HEAD CAP SCREW, #10-32 X 5/8" LG	23
SCREW, HEX HEAD CAP, 1/4"-20 X 3/4, 18-3, SS, 50/PK	8
SCREW, HEX HEAD CAP, SS, MILSPEC, 1/4" - 20 X 3/4	20
CAPSCREW, HEX, 1/4"-20 X 1-1/4", SS 300 SERIES	20
SCREW, STEEL CAP, GRADE 8, 5/16-24 X 1 1/4	18
CAPSCREW, HEX, 5/8"-11 X 2", GR 8 YELLOW ZN	14
NUT, HEX, 5/16"-18	120
CAPSCREW, HEX, 5/16"-18 X 3/4", GR 5 ZN PLTD, 100/PK	99
CAPSCREW, BUTTON HD, SOCKET, #10-32 X 3/4", SS 18-8	19
CAPSCREW, BUTTON HD, SOCKET, 1/4"-20 X 3/4", SS 18-8	49
SCREW, FLAT HD, PHILLIPS, #10-32 X 7/16", SS 18-8	4
PHILLIPS FLAT HEAD MACHINE SCREW, 100 DEGREE, #6-32 X 7/16"	72
PHILLIPS FLAT HEAD MACHINE SCREW, 100 DEGREE, #8-32 X 3/8" L	55
PHILLIPS FLAT HEAD MACHINE SCREW, 100 DEGREE, #8-32 X 7/16"	36
PHILLIPS FLAT HEAD MACHINE SCREW, 100 DEG, #8-32 X 5/8" LG	116
PHILLIPS FLAT HEAD MACHINE SCREW, 100 DEGREE, #10-32 X 7/16"	48
PHILLIPS FLAT HEAD MACHINE SCREW, 100 DEGREE, #10-32 X 1/2"	100
PHILLIPS FLAT HEAD MACHINE SCREW, 100 DEG, #10-32 X 5/8" LG	93
SCREW, PPHD, 100 DEG, #10-32 X .750" LG	34
SCREW, CAP, HEX HEAD 316 SS, 1/4"-20 THREAD, 3/4" LONG	26
SCREW, CAP, HEX HEAD, 1/4-20 X 1, 316 SS	22
BOLT, HHCS, 3/8"-16 THREAD, 1" LONG, PACK OF 10	13
N12 Nut	4
WASHER, FLAT, 5/16"	45



Item Description	Quantity
MOUNT, VIBRATION DAMPING, MALE/MALE, 3/8"-16 X 1" X 1-9/16"	60
VIBRATION DAMPENING MOUNT	16
VIBRATION DAMPENING MOUNT	9
WASHER, NO. 10 PRESSURE SEALING	112
WASHER, FLAT, USS, 5/16", SS 18-8	50
CONNECTOR	1
Connector	1
SCREW, #8-32 x 5/8" ZINC FINISH BUTTON	32
SOCKET CAP	9
LOGIC STYLE SOCKET	9
OPERATING MECHANISM CABLE MECHANISM NEMA	4
NUT, HEX, THIN, LH, 3/8"-24, SS 18-8	1
SPACER, NYLON, #8 SCREW X 3/8" LG	183
SPACER, UNTHREADED, 5/16" OD X 0.140" ID X 0.250" LG	71
WASHER, FLAT, TYPE B ZINC-PLATED STEEL, #10, 25/PK	16
NUT, HEX, 5/8"-11, GR 8 YELLOW ZN, 25/PK	9
CAP SCREW, HEX, 3/8-16 X 3, YELLOW ZINC, SAE GRADE 5	12
SCREW, SEMS, #2-56 X 5/8" LG	20
SCREW, SEMS, #2-56 X .750" LG	16
SCREW, SEMS, #10-32 X 3/8" LG	39
NUT, HEX, 5/16"-18, GR 5 ZN PLTD	83
NUT, HEX, NYLON INSERT, 3/8"-16, GR 5 ZN PLTD, 100/PK	652
RELAY, GENERAL PURPSE, 24VDC, 40AMP	3
CLAMP ON FITTINGS	4
NUT, HEX, 1/4-20 YZ5	292
LOCK NUT, 2 CONDUIT	2
SCREW, PAN HD, THREAD-LKG, PHILLIPS, #10-32 X 3/8", SS 18-8	17
Washer Flat 1/4" 18-8 SS	50
WASHER, FLAT, SAE, 1/2", SS 18-8	70
NUT, HEX, NYLON INSERT, 1/4"-28, GR 8 YELLOW ZN	50
WASHER, FLAT, #2	1485
WASHER, FLAT, #4, SS SERIES 300, PK=500 EA	1406
WASHER, FLAT, #6, SS SERIES 300, PK=500 EA	2232
WASHER, FLAT, #8, .375"OD	334
WASHER, FLAT, #10	874
WASHER, FLAT, 1/4", .63"OD,300SS, PK=100	170
FAN, AXIAL, 115VAC 119mm	5
FAN, AXIAL, 115VAC 119mm	5
END PLATES, MCT PARTS, GALVANIZED	12
CONTACTOR, CONTACT BLOCK, 1NO, 10A, 600V	305
TERMINAL, RING, RECT, 22-18 AWG, #8, NON-INSUL, PK=10 EA	1797
CONNECTOR, STANDARD DIN "L"	16
BARRIER, TERMINAL BLOCK END, IEC +OPTIONS	21
LIMIT SWITCHES, ABM SERIES, HEAVY DUTY, IEC	1
MOUNT, CABLE TIE, ADHESIVE	450
AUXILIARY CONTACT	2
3.22 x 3.25 FILTER KIT FOR AVK33	1
1 AMP MINI FUSE	50
10 AMP MINI FUSE	50
REPLACEMENT CONTACT BLOCKS	17
THREAD, RH, PRECISION ROD ENDS	1
DRIVER, 100 WATT, HORN	2
HORN, WEATHERPROOF	3
DRIVER, 100 WATT, TAPPABLE	1
JUNCTION BOX, AM SERIES JIC SIZE 12X10X6	1
JUNCTION BOX, AM SERIES JIC SIZE 6X6X4	1
CONNECTOR	2
BUTTON / TERMINAL	4
BUTTON / TERMINAL	2
C STAYPLATE 120 GALV	10
10 TO 1 PLUNGER FOR ADHESIVE GUN (WELD MOUNT)	2
FLUSH MNT 4 COND., 6 POS. WALL TLPH. JACK, SCREW TERMINAL	53
FLUSH MNT 8 COND., 8 POS. WALL TELEPHONE JACK	166
CPT FUSE, 1A, 600V, CC, TIME DELAY	2
3.25 x 3.25 LOUVER PLATE KIT	1
TERMINAL, RING, 18-14 AWG, #10, NON-INSUL, PK=100 EA	180
NIPPLE, CHASE, 1	2
50 OHM BNC BULKHEAD PLUG (3/8" D-HOLE)	2
BUS BAR, 12 PIN, 3 PHASE, FOR CHCC FUSE HOLDERS	4
BUS MOUNTING KIT	6
Dixon Model BB101P Bargraph Meter, Digital Display, -70 to	2
DISTRIBUTION BLOCK, POWER, 500-4-1P-500-4 SEC	11
BLOCK,POWER DISTRIBUTION, RUNWIRERANGEAWG 4-350 KCML	27
POLE COVER	18
Cartridge Fuses 250VAC/125VDC 1A Fast Acting Ceramic	9
Cartridge Fuses 250VAC/125VDC 6A Fast Acting Ceramic	13
CAMERA MOUNTING BRACKET	41
DOOR SWITCH ADAPTER PLATE, IDS SYSTEM	25
COMPRESSION SPRING, BARREL SHAPED, THREADS ON 1/4-28 BOLT	113
CAMERA MOUNTING BRACKET, MFG PER DWG FROM 6061 ALUMINIUM	15
CAMERA MOUNTING BRACKET	5
OVERLAY, TOGGLE SWITCH	5
OVERLAY, INTERFACE PANEL	6
BUTT SPLICE, VINYL, 12-10AWG	869
LAGGING TAPE, FIBERGLASS, 2 X 50YD	3
1 NM/SEU CABLE CONNECTOR	12
FUSE CLAMP 60 AMP 250V	50
FUSE CLAMP 60 AMP 600V	29



Item Description	Quantity
12 FIBER 36 LOOSE TUBE UNI-TUBE FANOUT KIT	10
TRANSFORMER, 1.5 KVA, 1 PH, NEMA 3R 277V, 120V/240V	4
2 2 SCREW CONNECTOR, OVAL SVC-ENT	15
COVER, WIRE DUCT, 2	72
AUXILIARY CONTACTS, 1NO, SIDE MOUNT, SIZE 00-2	48
AUXILIARY CONTACTS, 1NO-1NC, SIZE 00-2	2
AUXILIARY CONTACTS, 600V, 1 POLE	3
BASE, MOUNTING, MULTI 9, 3P	7
BASE, MOUNTING, MULTI 9, 2P	8
LUG, RING TYPE, NON INSULATING, 12-10 AWG, # 8	2365
LUG, RING TYPE, NON INSULATING, 12-10 AWG, # 8	492
RELAY, INDUSTRIAL, 120VAC, 2NO/2NC	3
RELAY, INDUSTRIAL, NEMA A600/Q600, 120VAC CONTROL, 3NO/1NC	2
RELAY, CONTROL, 600VAC, 10AMP	7
TERMINAL, SPADE/FORK, #6, CRIMP, PRODUCT RANGE: CBS SERIES	500
EMI CABLE FEED THRU, PG07	1
EMI CABLE FEED THRU, PG09	2
STRAIN RELIEF CONNECTOR	10
STRAIN RELIEF FITTING	27
STRAIN RELIEF FITTING, MULTI-HOLE	14
STRAIN RELIEF FITTING, CORD GRIP, CABLE GLANDS, BLACK & GRAY	3
CABLE ENTRY BOOT	1
HEAT SHRINK, ENTRY SEAL, POLYOLEFIN, 1 LEG, 2-3/4 LG, BLACK	5
HEAT SHRINK, ENTRY SEAL, POLYOLEFIN, 1 LEG, 2-3/4 LG	21
HEAT SHRINK, ENTRY SEAL, POLYOLEFIN, 2.45 LG, BLACK	1
HEAT SHRINK, ENTRY SEAL, POLYOLEFIN, 1LEG, A20THRUHOLE, 3.30LG	2
HEAT SHRINK, ENTRY SEAL, POLYOLEFIN, 1 LEG, 2.45 LG, BLACK	8
HEAT SHRINK, ENTRY SEAL, POLYOLEFIN, 1 LEG, 3-3/4 LG, BLACK	15
HEAT SHRINK, ENTRY SEAL, POLYOLEFIN, 3 LEG, 88.9MM, BLACK	3
CABLE ENTRY SEAL KIT, 16 HOLE	1
CABLE ENTRY SEAL KIT, 4 HOLE	2
HEAT SHRINK, NON, CLT FITTING, POLYPROPYLENE, BLACK	17
FUSE HOLDER	2
COVER, RECEPTACLE, 1-GANG, WHILE-IN-USE, WEATHERPROOF	1
MODULE, CM, WITH CORE, 15mm X 40mm	248
MODULE, CM, WITH CORE, 20mm X 40mm	35
CM 15/0 BLANK	94
CM 30W40	1
CM40/32	1
CONTACTOR, NEMA SIZE 3, 120VAC COIL	1
BATTERY, CMOS	4
DAY/NIGHT SPEC0 CAMERA	1
MALE RECTANGULAR INSERT	4
CONTROL RELAY, 8-P 4NO/4NC, 120VAC	5
LATCHING RELAY SOCKET	7
CONTROL RELAY SOCKET	8
CONTROL RELAY, CUTLER HAMMER	1
LATCHING RELAY DPDT	3
CIRCULAR CONNECTOR PLUG, SIZE 15, 19POS CABLE	2
CIRCULAR CONNECTOR PLUG, SIZE 23, 53 POS CABLE	2
RELAY SOCKET	9
DIN RAIL MOUNT, 11 PIN SOCKET	1
DIN RAIL MOUNT, 11 PIN SOCKET	1
SPLICE, INSULATED, MINISEAL WIRE	78
TURNLOCK FASTENERS	36
CABLE MOUNT	37
4P RELAY SOCKET	2
4P ICE CUBEL RELAY	2
ADAPTER	1
MOUNTING BRACKET	1
CONTROL RELAY	2
FIRE SMOKE DETECTOR	1
FEMALE DISCONNECT 22-18 AWG (81F4596)	85
DISCONNECTS, FEMALE, RIGHT ANGLE, NYLON INSULATED	120
FEMALE SUPRA DISCONNECTS	75
DUCT, WIRING, LIGHT GRAY, 4	12
PIGGY BACK DISCONNECT	48
TRANSFORMER, INDUSTRIAL CONTROL	2
Connector, Male, J Style, Shrouded, Positive Latching, Cable Size: 350 MCM, Color: YELLOW	8
Connector, Male, J Style, Shrouded, Positive Latching, Cable Size: 350 MCM, Color: ORANGE	8
Connector, Male, J Style, Shrouded, Positive Latching, Cable Size: 350 MCM, Color: BROWN	8
TUBULAR RING TERMINAL, NON INSULATED	200
REV D CABLE GREEN	1
FLUSH PUSH BUTTON	2
LENS, RED	5
SWITCH, PUSHBUTTON	6
ADAPTER, WELD, FOR LEVEL SENSOR, STAINLESS STEEL	5
Nylon Snap Elbow Strain Relief Fittings NPT	2
ETHERNET SWITCH, ENTRY LEVEL MANAGED, 10/100 BASET(X)	2
HANDLE, DOOR HANDLE MECHANISM, BLACK	2
CAMERA MOUNT, WALL, MEDIUM DUTY	6
RELAYS, INDUSTRIAL, SPST-NO 9-36VDC 200A KILOVAC	1
FUSE, CYLINDER, NORMAL BLOW, 5A, 250V	5
FUSE, CYLINDER, NORMAL BLOW, 30A, 250V, SILVER	3
WIRE DUCT 1-1/2	42



Item Description	Quantity
WIRE DUCT 2	6
FILTERED TERMINAL BLOCKS	7
FAN OUT KIT, BUFFER TUBE, 6F, 25IN	16
FAN OUT KIT, BUFFER TUBE, 12F, 25IN	15
Series C Breaker, 3-pole, 40A 600VAC	3
FAN GUARD, METAL	7
DUAL ELEMENT FUSES, FUSETRON	8
FUSE, 1-1/2A, CLASS CC 250 VAC	17
FUSE, 15A, 500V, TIME DELAY	1
TIME DELAY FUSE, FUSETRON	2
FUSE, TIME DELAY, 1A	45
FUSE, TIME DELAY, 2A	4
FUSE, TIME DELAY, 20A	4
FUSE, 30A, Time Delay	1
FUSE, TIME DELAY, 4A	4
FUSE, 7A TIME DELAY	24
FIRE DETECTORS	15
FUSETRON FUSE	1
WIRE DUCT 2	48
WIRE DUCT 4	60
WIRE DUCT 4	12
WIRE DUCT 6 GRAY	102
DIN Rail Mount for NET232	2
RECEPTACLE, GFCI, CIRCUIT GUARD, LED, 20A, 125V, 3W, WHITE	1
ROXTEC MODULE	7
FUSE, FAST ACTING, 5A, 5X20	10
BUSSMAN FUSE	70
FUSE 2A	2
FUSE, CYLINDER, 3A, GLASS, 250VAC	18
FUSE, TIME DELAY, 6 AMP	40
BUSSMAN FUSE	60
HUB, ZINC, 1"	3
SOLAR CONNECTOR H4 FEMALE HALF, 12AWG	81
SOLAR CONNECTOR H4 MALE, 12AWG	77
RECEPTACLE, IEC60309, 320R4WM IEC 309 PIN & SLEEVE	1
HEAT SHRINK, CABLE BOOTS, 2 WAY OUTLET, POLYOLEFIN, BLACK	1
HEAT SHRINK, 1.9, CABLE BOOTS, BREAKOUT 2 WAY OULET, BLACK	2
HEAT SHRINK, .09, CABLE BOOT, SPLITTER, 3 WAY, POLYLEN, BLACK	15
HEAT SHRINK, 1.2, CABLE BOOT, SPLITTER, 3 WAY, BREAKOUT BLACK	50
HEAT SHRINK, 1.5, CABLE BOOT, BREAKOUT/SPLITTER, 3 WAY, BLACK	22
HEAT SHRINK, CABLE BOOT, BREAKOUT, 3 WAY OUTLET, BLACK	46
HEAT SHRINK TUBING, 1-1/2" ID, HEAVY WALL, BLACK	2
HEAT SHRINK, DRY SHRINK, .50" DIA, POLYOLEFIN, THNWAL, BLACK	297
HEAT SHRINK, DRY SHRINK, 3/4" SZ, POLYOLEFIN, THINWAL, BLACK	3
OVERLAY, TOGGLE SWITCH	23
OVERLAY, INTERFACE PANEL	10
DOOR STRAP MOUNT	21
3KW FLEXGEN CONTACTOR JUMPER	2
THUMBSCREW	3
DDG MRU CONTROLLER SIDE PANEL, RIGHT	1
DDG MRU CONTROLLER INTERFACE PANEL	1
5 HOLE PB PANEL	1
BUSS FUSE BLOCK	1
POWER CONNECTION, SINGLE ENTRY WITH JUNCTION BOX	7
FUSE, 100A, CLASS T, JJS, 600VAC	3
FUSE BLOCK	1
FUSE, 20A, 600VAC/500VDC, M, FAST ACTING	2
Kick Pipe Caps, 3/4" - Small	9
CONNECTOR, MIL-DTL-26482 SERIES 1, 16#16	6
CONNECTOR, SPLIT BOLT, # 8 - 250MCM	28
FUSE	1
FUSE, REJECTION, 1 AMP, 600 VAC, FAST ACTING	6
FUSES, COOPER BUSSMAN	5
FUSE, COOPER BUSSMAN	12
FUSE, COOPER BUSSMAN	3
AUX CONTACTS	2
SIDE MOUNT, AUXILIARY CONTACT, INO/INC	4
RELAY, INDUSTRIAL, AUXILIARY CONTACT BLOCK, 1NO/1NC	8
CONTACTOR, AUXILIARY CONTACT BLOCK, 4PST-2NO/2NC	18
TERMINALS, LUG, 1/0AWG, 1/4	25
Square D Circuit Breaker Motor Operators	2
LUG, 2 HOLE, 500 MCM	3
DIALIGHT LIGHT SOCKET	9
Square D Circuit Breaker	2
SHORT CIRCUIT LINE ISOLATOR(ALD)	1
LOCKNUT, PG 13, NYLON	96
LOCK NUT, CORD CONNECTOR	70
LOCK NUT, CORD CONNECTOR	60
NUT, FLEX TOP LOCK, 10-32, ZINC PLATED	307
NUT, FLEX TOP LOCK, 1/4-20, ZINC PLATED	288
NUT, FLEX TOP LOCK, 8-32, ZINC PLATED	376
FINGER GUARD, 92mm	6
FINGER GUARD, 119mm	5
FINGER GUARD, 172mm	6
STUFFING TUBE, NYLON CAP ONLY, 4T	20
STUFFING TUBE, SIZE 1, NYLON	38
STUFFING TUBE, SIZE 2, NYLON	16
STUFFING TUBE, SIZE 3, NYLON	82
STUFFING TUBE, SIZE 4, NYLON	12
STUFFING TUBE, SIZE 4T, NYLON	5
STUFFING TUBE, SIZE 5, NYLON	30
STUFFING TUBE, SIZE 7, NYLON	24
PLUG, SIZE 1, NYLON	8
PLUG, SIZE 4/4T, NYLON	4



Item Description	Quantity
PACKING ASSY, SIZE 1B	46
NYLON TUBE PACKING ASSEMBLY, Size 1B1	98
PACKING ASSY, SIZE 2A	43
PACKING ASSY, SIZE 2B	16
PACKING ASSY, SIZE 2E	5
PACKING ASSY, SIZE 3A	23
PACKING ASSY, SIZE 4B	4
NYLON TUBE PACKING ASSEMBLY, Size 4C	31
PACKING ASSY, SIZE 4E	52
PACKING, SIZE 4E1	4
NYLON TUBE PACKING ASSEMBLY, Size 4F	45
PACKING ASSY, SIZE 4G	1
PACKING ASSY, SIZE 5A	7
PACKING ASSY, SIZE 5B	128
5C Packing	2
PACKING, SIZE 5	1
PACKING ASSY, SIZE 5G	2
PACKING, SIZE 5H	4
STUFFING TUBE, SIZE 1, 90 DEGREE	1
STUFFING TUBE, SIZE 2, 90 DEG, NYLON	10
STUFFING TUBE, SIZE 3, 90 DEGREE	39
STUFFING TUBE, SIZE 5, 90 DEG, NYLON	93
STUFFING TUBE, SIZE 5, 90 DEGREE	4
PACKING, SIZE 6A3	1
PACKING, SIZE 6A	3
PACKING, SIZE 6A1	14
PACKING ASSEMBLY, SIZE 6B1, NYLON TUBES	4
PACKING, SIZE 7C	1
PACKING ASSEMBLY, SIZE 7A, NYLON TUBES	58
PACKING ASSEMBLY, SIZE 7B, NYLON TUBES	27
PACKING ASSEMBLY, SIZE 7B1, NYLON TUBES	4
PACKING ASSY, SIZE 8A	2
PACKING, SIZE 8A2	3
PACKING ASSY, SIZE 8B2	7
PACKING ASSY, SIZE 9A	4
PACKING, SIZE 9B	10
PACKING, SIZE 9B1	2
STUFFING TUBE, SIZE 1, MNPT, NYLON	2
STUFFING TUBE, SIZE 2, MNPT, NYLON	68
TUBE, STUFFING, NYLON, SIZE 3	2
STUFFING TUBE, SIZE 4T, MNPT, NYLON	11
TUBE, STUFFING, NYLON, SIZE 6	3
TUBE, STUFFING, NYLON, SIZE 7	9
TUBE, STUFFING, NYLON, SIZE 8	1
DOOR MOUNTED RESET OPERATOR	4
HEAT SHRINK, 3/4" SZ, POLYOLEFIN, 2:1 RATIO, BLACK	2
HEAT SHRINK, 3/4", POLYOLEFIN, INSULATED, 2:1 RATIO, WHITE	2
HEAT SHRINK, 1" SZ, POLYOLEFIN, FLEX, 2:1 RATIO, BLACK	1
STUFFING TUBE, STL, SIZE X X 5.125, SYM 1618	8
Size "K" Kick Pipes & Deck Tubes Std 11" Deck	1
STUFFING TUBE, BLKHD, ALUM, SIZE B, 6.75, SYM 1732	6
Size "A" Bulkhead Tube Std 6.75"	4
Size "L" Kick Pipes & Deck Tubes Std 11"	6
Size "C" Kick Pipes Aluminum 11"	4
Size "S" Kick Pipe Std 11"	1
STUFFING TUBE, DECK, STL, SIZE N, 11, SYM 1922	4
STUFFING TUBE, DECK, STL, SIZE A, 11, SYM 1911	5
STUFFING TUBE, STL, SIZE B, 2-3/4	1
GLAND NUT, SIZE A BRASS	6
GLAND RING, SIZE A STAINLESS STEEL	12
CABLE, LSFSGU-9	104
CONTACT PINS, 16 GA	92
SOCKET, CONTACT	16
TERMINAL BLOCK	1
TERMINAL JUNCTION MODULE	2
TERMINAL BLOCK	1
TERMINAL BLOCK	5
CAPSCREW, HEX, M8-1.25 X 30mm, DIN 933 A2 SS	7
BACKSHELL	1
BACKSHELL, SIZE 23	2
BACKSHELL, BLACK, SIZE 14, 90 DEGREE	7
BACKSHELL; STRAIN RELIEF; MIL. SPEC; STRAIGHT; SIZE 14	70
BACKSHELL, SIZE 16	3
CONNECTOR, STRAIN RELIEF, SIZE 28	2
CONNECTOR	4
BACK SHELL, AS85049, sHELL SIZE-14	6
MIL SPEC 90 DEGREE BACKSHELL	7
Filler Plate	69
Ferrules 1,000 PACK SMALL INSULATED FERRULES	8
MCT BLOCK	96
3 AMP MINI FUSE	5
FUSE	30
STUD, STACK, 3/8 X 1, MS	1032
WASHER, LOCK, SPLIT, M4, DIN 127 A2 SS 18-8	100
TIE, CABLE, 304 STAINLESS STEEL	25
TIE, CABLE, STAINLESS STEEL	100
TIE, METAL LOCKING, HEAVY, 14.3 IN	200
MOUNT, ENCLOSURE	6
NUT, HEX, M6-1, DIN 934 A2, SS	207
WASHER, FLAT, 1/4, SS 300 SERIES	24
WASHER, FLAT, 5/16, SS 300 SERIES	25
WASHER, FLAT, 7/16, SS 300 SERIES	109
WASHER, FLAT, 7/16, SS 300 SERIES	6
WASHER, FLAT, #8, SS 300 SERIES	12
Washer, Flat Plain, 300 Series, CRES, #10, .5" OD, .04"-.07"	12
WASHER, FLAT NO 6	4
NUT, SELF-LOCKING, HEX-HEAD, 0.25-20 UNC-3B, CRES	27
NUT, HEX, NYLON INSERT, 5/16-18, SS	7



Item Description	Quantity
NUT, HEX, NYLON INSERT, 3/8-16, SS	12
NUT, HEX, NYLON INSERT, 7/16-14, SS	12
NUT, HEX, NYLON INSERT, 1/2-13, SS	8
SEALING PLUG, SIZE 12 CAVITY, YELLOW	500
SEALING PLUG, SIZE 16	510
Blinding Pin, 20 GA	620
SEALING PLUG, SIZE 23-22 CAVITY, BLACK	700
O RING, NYLON TUBE, SIZE 1	12
O-RING, STUFFING TUBE, SIZE 2	71
ORING SIZE 4	9
ORING SIZE 5	11
O RING, NYLON TUBE, SIZE 8	4
HANGERS, 2 CABLE, M/S, SLO111-TXL-M/S	88
FTT CANNON MS3101F10SL-3P CIRCULAR CONNECTOR PLUG SIZE 10SL	2
BACKSHELL	1
FTT CANNON MS3106F10SL3S CIRCULAR CONNECTOR, PLUG, 10SL-3	2
CONNECTOR, CIRCULAR, 7P SIZE 16S STRAIGHT PLUG SOCKET 5015	4
CONNECTOR	2
MIL SPEC FOUR PIN CIRCULAR PLUG	1
MIL SPEC THREE PIN CIRCULAR PLUG	4
MIL SPEC THREE PIN CIRCULAR PLUG	4
MIL SPEC FOUR PIN CIRCULAR PLUG	3
MIL SPEC FOUR PIN CIRCULAR PLUG	2
CONNECTOR, SOCKET, CIRCULAR, 6P, SIZE 20	4
CONNECTOR, 5P, SIZE 16	4
CONNECTOR, 5P, SIZE 16	5
CAPSCREW, HEX, 1/2-13 X 1-1/4, SS 300 SERIES	6
HANGERS, 3 CABLE, M/S, SLO124-TXL-M/S	130
SCREW, PAN HEAD MACHINE, PHILLIPS, 3/8 X 1/2	6
SCREW, PAN HEAD, PHILLIPS, #4-40 X 1-3/8, SS 300 SERIES	12
SCREW, PAN HEAD, PHIL, MACH, #4-40 X 3/8, SS-300	132
SCREW, PAN HEAD, PHIL, MACH, #6-32 X 1/2, SS-300	4
SCREW, MACHINE, 8-32 X 3/4 STAINLESS STEEL	27
SCREW, PAN HEAD, PHILLIPS, 5/16-18 X 3/4, SS 300 SERIES	15
SCREW, PAN HEAD, PHILLIPS, #10-32 X 3/8, SS 300 SERIES	10
SCREW, PAN HEAD, PHILLIPS, 1/4-28 X 1/2, SS 300 SERIES	2
CONNECTOR, PLUG, ELECTRICAL, WALL MOUNTING	3
MOUNT, CABLE TIE, STAINLESS STEEL, 4MM	100
TERMINAL, 22-18 AWG (1A084)	155
TERMINAL, 12-10 AWG (3NLV6)	29
WASHER, FLAT, M12, SS	50
SET SCREW, SOCKET, M6 X 6, CUP A-4	50
SCREW, TAMPER-RESISTANT KIT	22
CLOSE NIPPLE, 2IN X 4IN	1
PIPE NIPPLE, C/S, 1-1/2IN X 6IN	2
CABLE CLAMP, NYLON 1	100
WASHER, FLAT, NO. 6, 375X 149X 016, SSEM22	98
PLATES, NF PANEL BOARD FILLER	24
LOCK NUT, STRAIN RELIEF	24
LOCK NUT, STRAIN RELIEF	27
NIPPLE	2
NIPPLE	1
NUT, EMI PG07 THREAD	3
NUT, EMI PG09 THREAD	3
Locking Nuts for Strain Relief Fittings, Cord Grips, Cable G	2
NP3/4 XCL NIPPLE , CLOSE 1	7
NIPPLE	4
NIPPLE	2
PLATES, NQ PANEL BOARD, FILLER	11
PLATE, FILLER, NQ (15 per Package)	1
BOOT, SHRINKING END CAPS	11
BOOT, SHRINKING END CAPS	9
CABLE ENTRY SEAL, 2 LEG	19
CABLE ENTRY SEAL, 3 LEG	4
SEAL, CABLE ENTRY, 3.4" X 75 NPT	48
CABLE ENTRY SEAL, 3 LEG, STANDARD	9
CABLE ENTRY SEAL, 4 LEG, STANDARD	20
SEAL, CABLE ENTRY, 1 LEG, 1.10 MIN ID	8
CABLE ENTRY SEAL, 4 LEG, STANDARD	8
SEAL, CABLE ENTRY, 1 LEG, 1.60 MIN ID	30
SEAL, CABLE ENTRY, 1 LEG, 2.10 MIN ID	1
PANEL, JUNCTION BOX, AM SERIES AM1206	1
3/8" CHANNEL NUT	20
PANEL, JUNCTION BOX, AM SERIES AM664	1
NON-HEAT TUBING AND SLEEVE, CUSHION SLEEVE	738
Protective Strip	738
HEAT SHRINK, 4.8, DUAL CAP, END CAP, POLYFN,3:1 RATIO, BLACK	30
WIRE NUTS, RED, 12-22AWG	96
WIRE NUTS, TAN, 12-22AWG	97
GROUND BAR KIT	6
GROUND BAR ASSY, LOAD CENTER EQUIPMENT	8
GROUND BAR KIT	12
GROUND BAR KIT, LOAD CENTER EQUIPMENT	3
GROUND BAR KIT	1
GROUND BAR ASSY, LOAD CENTER EQUIPMENT	18
GROUND BAR ASSY, LOAD CENTER EQUIPMENT	1
GROUND BAR ASSY, LOAD CENTER EQUIPMENT	1
PLUG, KICK PIPE, SIZE B	14
PLUG, KICK PIPE, SIZE D	19
PLUG, KICK PIPE, SIZE E	8
PLUG, KICK PIPE, SIZE F	6
TERMINAL, RING, 12-10 AWG MULTI-STUD 6-10	100
TERMINAL, RING, 22-16 AWG, MULTI-STUD 6-10	100
ALCOHOL PADS	157
RELAY, HOLD DOWN CLIP FOR D3PA3 SOCKET	10



Item Description	Quantity
TRANSMITTERS, SUBMERSIBLE PRESS, 25FT CABLE	1
TERMINAL, PIN, 12-10AWG, .55 PIN LENGTH	50
TERMINAL, PIN, 16-14AWG	100
MACHINE SCREW, PHILLIPS, PAN HEAD, M3-.5X10, SS 18-8	41
FRAME, R, GALV, 100mm X 85mm	15
BULK HEAD, STEEL, MIL-P-24705, MULTIPLE PENETRATION	7
TERMINAL, RING, 16-14AWG, #6	646
FRAME, R, GALV, 150mm X 70mm	55
FRAME, R, GALV, 200mm X 70mm	7
INSULATOR 1-3/4 length 3/8-16 Tread	27
SLEEVE, 4 DIAMETER X 12 LENGTH, STEEL	4
THREE POLE ROTARY SWITCH	2
RIBBON, THERMAL TRANSFER, BLACK	1
FUSEBLOCK	1
RIBBON, THERMAL TRANSFER, 2 X 75', BLACK	1
DISCONNECT, FEMALE, INSULATED, 22-18 AEG	2659
Terminal, Ring, #6 Stud, 16-22 AWG, Crimp	932
12-10 AWG CU, 1/2" HOLE (3KG55)	19
RING TERMINAL, INS NYLON, 6, #10, BLUE	6
RELAY, TIME DELAY	11
LUG, RING, INSULATED, 6 AWG, 3/8	70
BLOCKS, 10/0X12, MIL-P-24705, COMPENSATION SPARE	3927
BLOCKS, MULTI-DIAMETER, MOD, 0.15 -0.35	78
BLOCKS, MULTI-DIAMETER MOD, 0.16 -0.53	76
ROX BLOCK, SIZE 30mm	1
BLOCKS, 40/0, MIL-P-24705, COMPENSATION SPARE	7
BLOCKS, CORE MULTI-DIA MOD, 1.22-1.97, MIL-P-24705	8
BLOCKS FOR L1STGU-400 CABLE	8
HEAT SHRINK, 2", HS-TBG, POLYOLEFIN, 2:1 RATIO, 4' LG, BLACK	125
LUBRICANT, TALLOW	49
REVERSEPOLARITY CONNECTOR	25
CONNECTOR, LIQUID TIGHT	7
T-BAR, STAINLESS STEEL 1.5"	28
T-BAR HANGER, 3 1/2" CRES	1
HANGER, T-BAR, 2-1/2", SS	6
HANGER, T-BAR, 6-1/2", SS	207
HANGER, T-BAR, 7-1/2", STEEL	83
FUSE, 5 X 20MM, 32MA, FAST BLOW	20
Fuse Block, 2 Pole for 1/4" x 1-1/4" Fuses, 30 Amp	15
CONNECTOR, ZINC CABLE, CONDUIT, 1 IN	1
POWER SUPPLY, DIN RAIL, 24VDC	1
CONNECTOR, LIQUID TIGHT	3
HEAT SHRINK, 1.77, END CAP SKE 45/100, HEAVY DUTY, BLACK	5
HEAT SHRINK, 8/20, END CAP SKE, HEAVY DUTY, POLYOLEFIN, BLCK	16
SS Large Butterfly Hangers	1
HANGER, CABLE, DOUBLE, .305"- .371", MS	171
HANGER, BUTTERFLY, MEDIUM, MS	51
HANGER, CABLE, TRIPLE, .375"- .531", MS	65
T-BARS, 1 1/2 MS	2
HANGER, T-BAR, TUBULAR, 5-1/2", MS	77
HANGER, T-BAR, TUBULAR, 6-1/2", MS	133
HANGER, T-BAR, TUBULAR, 6-1/2", SS	101
SLEEVE, PRIMED, PAINTED	14
SLEEVE, PRIMED, PAINTED	8
500GB SEAGATE HDD SNW0V0MA68	1
16/2 SOOW Portable Cord 600 V	50
1/2" Strain Relief Connector Metal	4
FITTING, MALE ELBOW, 1/4" TUBE OD X 1/4" MALE NPT, SS	4
FITTING, Male Pipe Weld Connector	5
REDUCING COUPLING	1
SS 3/8 T X 1/2 TUBE STUB REDUCER, BOX 25	9
SS 1/2 UNION 90 ELBOW, BOX 10	9
HEAT SHRINK, CABLE BOOT, CABLE ENTRY SEAL, 3 WAY CABLE	10
INSULATOR, 2-1/8" X 2-1/2" X 3/8"-16, GLASTIC	14
INSULATOR, STANDOFF, 2-1/2", GLASTIC	119
INSULATOR, STANDOFF, 2-3/4", GLASTIC	48
INSULATOR, STANDOFF, 2", GLASTIC	9
INSULATOR, STANDOFF, 1-1/2" X 5/16", GLASTIC	22
INSULATOR, STANDOFF, 2" GLASTIC	9
INSULATOR, GLASITC STANDOFF	31
INSULATOR, GLASITC STANDOFF	6
CONNECTOR, 2PIN, SCREW TYPE, MODICON STB	950
Size "C" Kick Pipes Aluminum 6.75"	2
Size "E" Kick Pipes Std 11" Deck	3
Size "G" Kick Pipes & Deck Tubes Std 11" Deck	16
Size "M" Kick Pipes & Deck Tubes Std 11" Deck	15
Size "X" Kick Pipes & Deck Tubes, 11"	1
Size "Z" Kick Pipes & Deck Tubes Std 11"	2
TERMINAL BOX, BRASS, MIL-T-24558/18	12
TRANSFORMER, AD0511	3
TERMINALS, FORK, 22-18 AWG, # 6 & 8	370
WIRE DUCT, 1 X 1-1/2, WHITE	72
WIRE DUCT, 1 X 1-1/2, WHITE	72
WIRE DUCT, 1" X 4", WHITE	60
Wiring Duct, 1-1/2 X 1-1/2 X 6', White	276
WIRE DUCT 1-1/2 X 2, GRAY IBOCO	30
WIRE DUCT 1-1/2 X 2, GRAY IBOCO	30
WIRE DUCT 1 1/2 X 4, GRAY, IBOCO	70
WIRE DUCT, 1.5x 4", 6 FT PER PIECE	4
WIRE DUCT, 2.25 X 2.25 IN, 1/PK, WHITE, THIN FINGER, 2M	180
WIRE DUCT, 2" X 4", GRAY	24
WIRE DUCT, 3" X 4", GRAY	18
WIRE DUCT, 3" X 4", WHITE	36
WIRE DUCT, 3" X 4", WHITE	12
WIRE DUCT 4 IBOCO	48



Item Description	Quantity
WIRE DUCT, 4" X 4", GRAY	36
WIRE DUCT, 4" X 4", GRAY	36
WIRE DUCT, 4" X 4", WHITE	24
WIRE DUCT, 4" X 4", WHITE	24
PATCH CORD, CAT 5 - 40 FT	2
PATCH CORD, CAT 5 - 50 FT	1
CABLE ENTRY BOOT	1
T-BAR HANGERS, 7 1/2 M/S	2
LABELS, THERMAL TRANSFER PRINTABLE, 1" X 1"	15000
MOUNT, CABLE TIE	87
SCHMERSAL POSITION SWITCH, SAFETY FUNCTION	3
TERMINAL SHROUD	2
PLUG, CAT5E MODULAR, 8 WAY 1 PORT	48
FORK TERMINALS, VINYL INSULATED, 12-10AWG, YELLOW	150
RING TERMINALS, VINYL INSULATED, 12-10AWG, YELLOW	225
MIL SPEC THIRTY FIVE PIN CIRCULAR CONNECTOR	1
MIL SPEC THIRTY FIVE PIN CIRCULAR CONNECTOR	1
ADAPTER, SIZE 10	4
LUG, 1-1/2 HOLE, GREEN, 250-500 MCM	35
LUG, 1-1/2 HOLE, PURPLE, 400-750 MCM	9
Taco Viridian VR15 - 1-1/2" Flgd, 110-240V Web-Enabled Pump	1
CONNECTOR AND LEAD	1
WIRE MARKER BOOK, E-Z CODE	15
TRANSFORMER, 1.73V	21
ENCLOSURE, PUSH BUTTON, 1 HOLE	2
PUSHBUTTON, SPRING RETURN, 1NO, FLUSH, 22mm, BLACK	1
LABEL CARTRIDGE, WHITE, 1-1.5	3
CONNECTOR, CLAMP TYPE, 3/8 for 1/2 CONDUIT HOLE, ZN	114
MACHINE SCREW, FLAT HEAD, SS, M6X1.0 X 45	199
SLEEVE, WIRE MARKING, 1.015 X .645, PERMASLEEVE	12
ADAPTER, REDUCING, 4/0 to 3/0, COPPER	20
SPRING, RELAY SOCKET RETAINER	3
LUG, 1H, 1/0 STR, 1/2 STUD	5
LUG, 1H, 3/0 STR, 1/2 STUD	6
LUG, 1H, 3/8 STUD	3
LUG, 400 kcmil, 2 HOLE, 1/2 STUD	68
LUG, 2H, 500 MCM	4
SPLICE, COMPRESSION, 4/0 AWG, LONG BARREL	6
PUSH BUTTON	13
BASE, MOUNTING, METAL CONTACT BLOCK	10
PUSHBUTTON, FLUSH, NON-ILLUMINATED, MOMENTARY, BLACK	1
INDICATOR, PANEL MOUNT, LED, 22mm, GREEN LENS	3
COLLAR, MOUNTING, XB4, 22mm	16
PUSHBUTTON, FLUSH WITH TRANSPARENT WHITE	2
PUSH BUTTON, FLUSH, BLACK, 22MM, 35531	71
PUSH BUTTON, 22MM, NON-ILLUM RED	3
PUSH BUTTON, PROJECTING, BLACK, 22MM, 90638	1
SWITCH ACTUATOR, RED	65
PUSH BUTTON, GREEN, 115V	12
MODULE, LAMP, CONTACT BLOCK, 22MM, 1NO	6
PUSH BUTTON, YELLOW, 24VAC	3
BASE, CONTACT, N.O., 24VDC, SCREW TERMINAL, LED, BLUE	1
OPERATOR, PUSH BUTTON, YELLOW, 22MM	3
OPERATOR, PUSHBUTTON, 22mm, WHITE	6
OPERATOR, ILLUMINATED, 22mm, FLUSH BOOTED FOR LED, BLUE	1
COLLAR, MOUNTING	43
SWITCH, 22MM, CONTACT BLOCK, 1 NC	105
BLOCK, CONTACT, 2 NO, 2 POLE USED W/ROTARY SWITCH HEAD	3
SWITCH, PUSH BUTTON, 24V, 22MM, GREEN	1
PUSH BUTTON, LIGHT MODULE, 22MM, 24V	3
LEGEND PLATE, 28X7mm, SELF ADHESIVE, BLACK BACKGROUND	4
PLATE, SWITCH LEGEND	67
PLATE, SWITCH LEGEND	66
EMI POWER FILTER	1