



ALLENTOWN PEST, 405 ALLENTOWN DRIVE,  
 ALLENTOWN, PA, 18109914499  
 (610) 433-22310000  
 6104338195

**Summary of Service**

**Client:** 010157212/1  
 JOSEPHINE & RICHARD GARBER  
 423 BEECHWOOD ST  
 EMMAUS PA 18049-2905

**Location:** 010157212/1  
 GARBER JOSEPHINE & RICHARD  
 423 BEECHWOOD ST  
 EMMAUS PA, WO 051147429 schdDate  
 2020027 18049-2905  
 (610) 349-9608

**Time In:** 01-27-2020 08:12:45  
**Time Out:** 01-27-2020 08:27:01

Issue: Exterior Only

01-27-2020 08:26:57  
 With thanks, MARK ZARZECKI

**License/Certifications:**

00-61105B, 11-712084, 7A-61105B

Order # / Invoice	Status	Service Date	Service Description	Visit Type
051147429 / 000	Completed	01-27-2020	CONTINUING MONITORING BAITING SERVICE INSPECTION	SERVICE MAINTENANCE

**Recommendations**

Area/Device	Recommendation	Severity	Status	Date

**Device Summary**

Type	With Activity	Without Activity	Unserviceable	Total Inspected
Inspection Point	0	1	0	1

**General Comments:**

Checked all exterior bait stations and all stations bait intact and ready. Thank you for your business.



### Summary of Service


PestNetOnline


ALLENTOWN, 405 ALLENTOWN DRIVE, , ALLENTOWN, PA, 18109-9144, (610) 433-2231 EXT. 0000, (610) 433-8195

**Client:** 010157212 / 1  
 GARBER JOSEPHINE & RICHARD  
 423 BEECHWOOD ST  
 EMMAUS, PA, 18049-2905  
 (610) 349-9608 EXT. 0000

**Service Location:** 010157212 / 1  
 GARBER JOSEPHINE & RICHARD  
 423 BEECHWOOD ST  
 EMMAUS, PA, 18049-2905  
 (610) 349-9608 EXT. 0000

**Time In:** 01/15/18 09:45  
**Time Out:** 01/15/18 09:59

Customer Signature:  


Technician Signature:  


Richard Garber

with thanks, Ryan Daugherty

**License/Certifications:** 11-101172,15-101172,16-101172,12-101172,23-101172,10-101172,20-101172

Order # / Invoice	Status	Service Date	Service Description	Visit Type
040240320-000	Completed	01/15/18	MONITORING BAIT INSP	SERVICE MAINTENANCE

Device Summary Type	With Activity	Without Activity	Unserviceable	Total Inspected
Worksite Inspection Point	0	1	0	1

**No pesticide applied during this service.**

**General Comments**  
 Interior termite inspection to bait station; No activity during today's service.