





Map may not be valid at this scale.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
		6.9	6.3%
BeB	Berks channery silt loam, 3 to 8 percent slopes	1.3	1.1%
BeC	Berks shaly silt loam, 8 to 15 percent slopes	3.4	3.1%
BeD	Berks channery silt loam, 15 to 25 percent slopes	3.8	3.4%
BhD	Berks stony silt loam, 8 to 25 percent slopes	2.6	2.3%
BrB	Brinkerton silt loam, 3 to 8 percent slopes	4.9	4.4%
CbB	Calvin-Berks shaly silt loams, 3 to 8 percent slopes	6.1	5.5%
CbC	Calvin-Berks shaly silt loams, 8 to 15 percent slopes	4.4	4.0%
EIB	Ernest silt loam, 3 to 8 percent slopes	2.7	2.5%
EtC	Ernest silt loam, 8 to 15 percent slopes	7.9	7.1%
WeB	Weikert very channery silt loam, 3 to 8 percent slopes	28.6	25.8%
WeC	Weikert very channery silt loam, 8 to 15 percent slopes	24.2	21.8%
WeD	Weikert very channery silt loam, 15 to 25 percent slopes	14.1	12.7%
WKF	Weikert and Klinesville very shaly silt loams, 25 to 75 percent slopes		
Totals for Area of Interest		110.9	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made