WEBCAST AUCTION OF WELL-MAINTAINED MACHINERY FROM PUMP AND MOTOR REBUILD FACILITY INCLUDING 250 TON WATSON STILLMAN WHEEL PRESS, (5) LATHES TO 40" X 240", 55" BULLARD VIL, (2) BORING MILLS, (2) SHAFT BALANCERS, TOOLROOM, WELDING, INSPECTION AND SHOP EQUIPMENT

# To Become see Instructions on Page 4 Out of the Internet BidSporer.com

**Plant Closed** 

# **SERVI-SEL, INC.**

3210 Industrial Blvd. - Bethel Park, Pennsylvania 15102 Just South of Pittsburgh, Pennsylvania

### SALE DATE: TUESDAY, DECEMBER 14TH, STARTING AT 10:00 AM

INSPECTION: Day Prior from 10AM to 4PM or by appointment with john@cia-auction.com



5" Lucas Model 542B-120 Horizontal Boring Mill













Sale Under The Management Of

## **INDUSTRIAL** AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



## TUESDAY, DECEMBER 14TH - 10:00 AM



21" x 120" Clausing Colchester Engine Lathe



22" x 120" Crown Model 4 Engine Lathe



26" x 86" Crown Engine Lathe



32" x 82" Tuda Jumbo-Eight Engine Lathe



Trinco Model 72" x 48" SL/PC 2-Station Dry Blast **Abrasive Cabinet** 



56" Bullard Dynatrol Vertical Turret Lathe



#### **BORING MILLS AND VTL**

5" Lucas Model 542B-120 Horizontal Boring Mill; 56" x 98" Table, 144" Horizontal Axis, 58" Vertical Axis, Morse Taper Out-Board Support, 0 - 1,220 Spindle Speed, 3-Axis Trax DRO

**4" G&L Type T-340 Horizontal Boring Mill;** s/n 61548, 36" x 74" Table, 84" Horizontal Axis, 48" Vertical Axis, 15-HP, Morse Taper Machine, Out Board Support

56" Bullard Dynatrol Vertical Turret Lathe; s/n 32763, 56" 4-Jaw Chuck, 60 HP, 66" Actual Swing, 56" Max Height, 5-Position Turret, 60-HP, Floor Standing

#### **WHEEL PRESS**

150 Ton Watson Stillman Hydraulic Horizontal Wheel Press; 30-HP Hydraulic Unit, 7" Dia. Ram, 16" Approx. Stroke, 12" & 20" Dia. Wheel Cavities, 144" Horizontal Length, Top & Bottom Rail Adjustment Points, 64" Window

37" x 216" Lodge and Shipley Model 3220-25 Engine Lathe; s/n 48451, 29" Swing Over Carriage, 1,527 Pulley Speed, 5-600 RPM, 28" 4-Jaw Chuck, 28" 4-Jaw Rear Chuck at Spindle Hole, 12-1/2" Spindle Hole, Tailstock, 42" Face Plate, (2) Steady Rests

32" x 82" Tuda Jumbo-Eight Engine Lathe; s/n 30008, 24" 4-Jaw Chuck, 3-1/4" Spindle Hole, Tailstock, Steady Rest

21" x 120" Clausing Colchester Engine Lathe; 18-1,400 RPM, 18" 4-Jaw Chuck, 3-1/2" Spindle Hole, Tailstock, (2) Steady Rests with Toolpost and Holders

22" x 80" Lodge and Shipley Engine Lathe; 12" 3-Jaw Chuck

26" x 86" Crown Engine Lathe; s/n 172, 24" 4-Jaw Chuck, 3" Spindle Hole, Tailstock, (2) Steady Rests, No. CE-163, with Toolpost and Holders

22" x 120" Crown Model 4 Engine Lathe; s/n 637, 3" Spindle Hole, 17-1/2" 4-Jaw Chuck, No. CE175

20" x 96" Leblond Engine Lathe; s/n 11E-497, 16" 4-Jaw Chuck, 3" Spindle Hole, 25-1,000 RPM, Tailstock, Steady Rest

20" x 78" Lodge and Shipley Model 2013 Engine Lathe; s/n 44594, 14-1,160 RPM, 12" 3-Jaw Chuck, 2-1/8" Spindle Hole, Tailstock

#### **SHAFT BALANCERS**

5,000 Lb. Raydyne Model LM-5000 Dynamic Shaft Balancer; S/N LM-136, with Balmac Model 215 Vibration Analyzer, 13" Wide Yokes Adjustable to 80" Width, Reads in Mils of Un-balance, 72" Between Centers

500 Lb. Stewart-Warner Model 2000 Balancer; Stewart-Warner Console, 6" Wide Yokes, Reads in Oz/Inches, 48" Between Centers

#### **COLUMN MOUNT JIBS**

(3) 2 Ton x 18' Arm Spanco Column Mount Jib Cranes; Each with 2 Ton Flectric Hoists

(2) 2 Ton x 16' Arm Column **Mount Jib Cranes with Electric** 

#### **TOOLROOM EQUIPMENT**

3-HP Clausing Kondia Model TYF300 Vertical Mill; s/n T-252, 11" x 58" Table, 60-4000 RPM, DRO, PTF

1-1/2 HP Bridgeport Mill; s/n 180092, 9" x 42" Table, Newall DRO, Shaper Attachment Back Side, w/ 6" Mill Vise

Davis No. 5 Keyseater; 20.5" x 31" Table

12" x 20" DoAll Horizontal Band Saw with 18" x 80" In-Feed Conveyor 20" Powermatic Vertical Band

Saw; 24" x 24" Table, Blade Welder 4 HP Series I Bridgeport Mill; 11" x 58" Table; S/N 2860, Topaz DRO, PTF, Quill Power Feed, 50-3,500 RPM

6" x 18" Millport Hand Feed Surface Grinder

**Pratt-Whitney Model B Vertical Shaper (M-15-13);** S/N 586, 24" Dia. Rotary Table



500 Lb. Stewart-Warner Model 2000 Balancer



**Lathes Chucks and Maine Accessories** 

## SERVI-SEL, INC.



40" x 40" Ransome Welding Positioner



(3) 2 Ton x 18' Arm Spanco Column Mount Jib Cranes



4 HP Series I Bridgeport Mill



Pratt-Whitney Model B Vertical Shaper (M-15-



Cantilever Rack



**Arbor Press** 



Trinco Model 72" x 48" SL/PC 2-Station Dry Blast Abrasive Cabinet; S/N 70636-11, With Dust Collector Model DT850

Farrel Modle 6GA Drill Pointer 15" Crane Model 15-Lapmaster Lapping Machine; s/n C-20418 Landa Model UNG4-30021C Natural Gas Fired Steam Cleaner; 3.5 GPM

D.E. Grinders, Shop Presses, Drill Presses, Shop Fans, Perishable Tooling and Related

#### **WELDING AND RELATED**

40" x 40" Ransome Welding Positioner

Miller LP260 Lp Gas jobsite Welder/Generator; \*Brand New, Never Used \*Subject to Withdrawal

**450 Amp Miller Deltaweld 450 Mig Welder** w/ Wire Feed 400 Amp Miller SR-400-32 Arc Welder

(2) 64" x 96" x 1" Thick HD Welding Tables

(3) 56" x 96" x 1" Weld Tables with Vises

**5,000 Lb. (Approx.) Power Rotation & Tilt Welding Positioner;** 40" x 40" Face Plate

**Welding Accessories** 

#### **INSPECTION ITEMS**

Assortment of Inspection Items Including; Wilson Hardness Tester, 18" x 24" Starrett Granite Plate, (25) Assorted Size O.D. Micrometers up to 30" – 36", 60" and 40" S.S. Verniers, 7-Pcs. Mitutoyo O.D. Micrometer Set, Gage Blocks, Fowler Dial Bore Gage, 36" Challenge Straight Edge, Electronic Test Items, & Other Related Items

# LIFT TRUCKS - LOCATED IN DETROIT, MI

\*\*18,000 Lb Taylor Model XC180S LP Gas Cushion Tire Lift **Truck;** S/N 37618, 95" Mast Height, 59" Beveled (Coil Handling) Forks, Hydraulic Fork Positioning, GM V8 Engine, Joy-Stick Controls, 1629 Hours Showing\*\* Located Offsite in Detroit,

# \*\*15,500 Lb Hyster Model S155T Diesel Cushion Tire Lift Truck; S/N G024V03179R, 86" 2-Stage Mast, 95" Lift Height, 48" Forks, Monotrol, Heated Harris Cab Enclosure\*\*Located

Offsite in Detroit, MI\*\*

\*\*8,000 Lb Hyster Model S80T LP Gas Cushion Tire Lift Truck; S/N G004V05398J, 2-Stage Mast, 121" Lift Height, 84" Mast Height, 72" Forks, 11,295 Hours Showing\*\*Located Offsite in Detroit, MI\*\*

\*\*7,000 Lb Hyster Model S70FT LP Gas Cushion Tire Lift Truck; S/N G187V01726M, 3-Stage Mast, 88" Mast Height, 187' Lift Height, Fork Positioning, 11,126 Hours Showing \*\*Located Offsite in Detroit, MI\*\*



Steam Cleaner



6" x 18" Millport Hand Feed Surface Grinder



18,000 Lb Taylor Model XC180S LP Gas Cushion Tire Lift Truck



**Tooling Cabinets** 



(3) 56" x 96" x 1" Weld Tables with Vises



**Quick Change Toolpost** 



**Corrugated Steel Tubs** 



Lapmaster 15 Lapping Machine

# AUCTION

Plant Closed

# **SERVI-SEL, INC.**

3210 Industrial Blvd.
Bethel Park, Pennsylvania 15102

Just South of Pittsburgh, Pennsylvania

SALE DATE: Tuesday, December 14th STARTING: 10:00 AM

**INSPECTION:** 

Day Prior from 10:00 AM to 4:00 PM or by appointment with joe@cia-auction.com



Contact Information 2020 Dunlap St. Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760 www.cia-auction.com









FIRST CLASS MAIL!

FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 3593

PRE-SORT



#### **Important Mail**

TO BE DIRECTED TO THE ATTENTION OF EXECUTIVE PERSONNEL

# TUESDAY, DECEMBER 14TH WEBCAST AUGTION

Plant Closed

## **SERVI-SEL, INC.**

3210 Industrial Blvd.

Bethel Park, Pennsylvania 15102

Just South of Pittsburgh, Pennsylvania

#### **IMPORTANT NOTICE:**

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

#### **BIDDER INSTRUCTIONS**

All bidders must register for this auction at www.bidspotter.com. Please register 24-hours in advance to get through approval process.



#### **AUCTIONEERS**

Cincinnati Industrial Auctioneers – License No. AY002219

Jeffrey L. Luggen – License No. AU003274R Joseph M. Luggen – License No. AU005954









#### TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion **of the sale.** No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website.

18% BUYERS PREMIUM IN EFFECT FOR ALL PURCHASES

Sale Under The Management Of



auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 | Phone 513-241-9701 | Fax 513-241-6760

